

# **Multimedia-Programmierung**

## **Übung 5**

Ludwig-Maximilians-Universität München  
Sommersemester 2016


# Exam

**Date:** 18.07.2016, 08:00 - 10:00 a.m.

**Deadline for registration:** 11.07.2016, 03:00 p.m.

**Deadline for deregistration:** 14.07.2016, 11:59 p.m.

**Location:** Geschw.-Scholl-Pl. 1, Room B 201



# Today

- Animations
- Illustrated with



## Literature:

W. McGugan, Beginning Game Development with Python and Pygame, Apress 2007

ENGELBERT, Roger. Cocos2d-x by Example: Beginner's Guide. Packt Publishing Ltd, 2015.

# Objects on the Screen don't actually move

- Basically, only the colours of pixels are changed
- Everytime something changes, the whole screen is repainted
- Framerate defines the appearance of the animation (the higher, the better)
- Possible framerate depends on the hardware (e.g. hertz of the monitor)



# Moving an object in a straight line



```
import pygame
from pygame.locals import *
from sys import exit

player_image = 'head.jpg'
pygame.init()

screen = pygame.display.set_mode((640, 280), 0, 32)
pygame.display.set_caption("Animate X!")
mouse_cursor = pygame.image.load(player_image).convert_alpha()

x = 0 - mouse_cursor.get_width()
y = 10

while True:    ← event loop
    for event in pygame.event.get():
        if event.type == QUIT:
            exit()
    screen.fill((255,255,255))
    if x > screen.get_width():    ← if the object left the screen, reset x
        x = 0 - mouse_cursor.get_width()
    screen.blit(mouse_cursor, (x, y))
    x+=10    ← animated in steps of 10 pixels
    pygame.display.update()
```

# Timing and Framerate

- Problem: The previous example creates an animation that runs in different speed depending on the power of the cpu
- Solution: [time-based animations](#)
- [pygame.time.Clock\(\)](#) provides an appropriate tool for time-based animations
- [Clock.tick\(\)](#) returns the time that passed since its last call

```
clock = pygame.time.Clock()  
clock.tick()
```

# Moving an object time-based



...

```
clock = pygame.time.Clock()
```

```
speed = 300.0
```

 ← speed in pixels per second

```
x = 0 - mouse_cursor.get_width()
```

```
y = 10
```

```
while True:
```

```
    time_passed = clock.tick() / 1000.0
```

 ← time passed since last tick() in seconds

```
    moved_distance = time_passed * speed
```

 ← distance moved since last call

```
    for event in pygame.event.get():
```

```
        if event.type == QUIT:
```

```
            exit()
```

```
screen.fill((255,255,255))
```

```
if x > screen.get_width():
```

```
    x = 0 - mouse_cursor.get_width()
```

```
screen.blit(mouse_cursor, (x, y))
```

```
x+=moved_distance
```

 ← move the sprite the calculated distance

```
pygame.display.update()
```

# Moving an object high level



- In Cocos2d-x, each Action has a *By* and *To* version
  - **By** is relative to the current state of the Node.
  - **To** is absolute, meaning the current state of the Node is irrelevant.

```
auto mySprite = Sprite::create("mysprite.png");
mySprite->setPosition(Vec2(200, 256));


// MoveBy - lets move the sprite by 500 on the x axis over 2 seconds
// MoveBy is relative - since x = 200 + 200 move = x is now 400 after the move
auto moveBy = MoveBy::create(2, Vec2(500, mySprite->getPositionY()));

// MoveTo - lets move the new sprite to 300 x 256 over 2 seconds
// MoveTo is absolute - The sprite gets moved to 300 x 256 regardless of
// where it is located now.
auto moveTo = MoveTo::create(2, Vec2(300, mySprite->getPositionY()));
```

# Diagonal Movement

or: Vectors, yeah!

- Moving a sprite to a specific coordinate requires movement on the x- and y-axis
- Best achieved using [vectors](#)
- E.g. a vector of (10,30) means move 10 pixels on the x- and 30 on the y-axis
- Store vectors as tuples, lists or create a class



# Vectors I

- Example class

```
class Vector(object):
    def __init__(self, x, y):
        self.x = x
        self.y = y

    def __str__(self):
        return "vector (%s,%s)"%(self.x, self.y)

    @classmethod
    def vector_from_points(cls,from_p,to_p):
        return cls(to_p[0]-from_p[0],to_p[1]-
from_p[1])
```

Use:

```
vector1 = Vector(10.0,20.0)
print vector1

print
Vector.vector_from_points((10,10),
(30,10))
```

Output:

```
vector (10.0,20.0)
vector (20,0)
```


# Vectors II

- Vector magnitude

```
Import math  
class Vector(object):
```

...


```
def get_magnitude(self):  
    return math.sqrt(self.x**2 + self.y**2)
```



# Vectors 3

- Normalizing a vector

```
class Vector(object):  
    ...  
  
    def normalize(self):  
        magnitude = self.get_magnitude()  
        self.x /= magnitude  
        self.y /= magnitude
```



# Diagonal movement using vectors 1



```
import pygame
from pygame.locals import *
from sys import exit
import math ← needed for magnitude calculation

class Vector(object):
    def __init__(self, x=0.0, y=0.0):
        self.x = x
        self.y = y

    def __str__(self):
        return "(%s, %s)"%(self.x, self.y)

    def get_magnitude(self):
        return math.sqrt(self.x**2 + self.y**2)

    def normalize(self):
        magnitude = self.get_magnitude()
        self.x /= magnitude
        self.y /= magnitude

    @classmethod
    def vector_from_points(cls, from_p,to_p):
        return cls(to_p[0]-from_p[0],to_p[1]-from_p[1])
```

# Diagonal movement using vectors 2



```
...
mpos = (0.0,0.0) ← start and end positions
destination = (500,430)
player_image = 'head.jpg'
pygame.init()

screen = pygame.display.set_mode((640, 640), 0, 32)
pygame.display.set_caption("Animate X!")

mouse_cursor = pygame.image.load(player_image).convert_alpha()
clock = pygame.time.Clock()

speed = 300.0 # pixels per second
heading = Vector.vector_from_points(mpos, destination)
heading.normalize() ← calculate the vector and normalize it
...

...
```

# Diagonal movement using vectors 3



...

```
while True:
```

← within the event loop ...

```
    for event in pygame.event.get():
        if event.type == QUIT:
            exit()
        screen.fill((255,255,255))
```

```
        time_passed = clock.tick() / 1000.0
```

```
        moved_distance = time_passed * speed
```

within the event loop ...

... the distance is calculated as usual

```
        screen.blit(mouse_cursor,mpos)
        mpos= (mpos[0]+heading.x * moved_distance,mpos[1] + heading.y *
moved_distance)
```

new position is based on the normalized  
vector

```
        pygame.display.update()
```

# Diagonal movement high level



```
auto mySprite = Sprite::create("mysprite.png");


// Move a sprite to a specific location over 2 seconds.
auto moveTo = MoveTo::create(2, Vec2(50, 50));
mySprite->runAction(moveTo);

// Move a sprite 50 pixels to the right, and 50 pixels to the top over 2 seconds.
auto moveBy = MoveBy::create(2, Vec2(50, 50));
mySprite->runAction(moveBy);
```

# Rotating Surfaces

- Use `pygame.transform.rotate(surface,angle)` to rotate a surface (counterclockwise)
- Returns a new Surface Object
- **Attention:** the new Surface can have different width and height than the original

```
rotated_surface = pygame.transform.rotate(old_surface,90)
```






# Anchor Points

**Anchor point** is a point that you set as a way to specify what part of the Sprite will be used when setting its position.  
Important for all transformations: e.g. *scale*, *rotation*, *skew*.

```
auto mySprite = Sprite::create("mysprite.png");
mySprite->setAnchorPoint(0.5, 0.5); // DEFAULT anchor point
mySprite->setAnchorPoint(0, 0); // bottom left
mySprite->setAnchorPoint(0, 1); // top left
mySprite->setAnchorPoint(1, 0); // bottom right
mySprite->setAnchorPoint(1, 1); // top right
```



<http://www.cocos2d-x.org/docs/programmers-guide/3/index.html>



# Rotating Surfaces

- Use `mySprite->setRotation(angle);` to rotate a surface
- Use `rotateTo` and `rotateBy` to animate a rotation
- Positive values rotate the Sprite object clockwise, while negative values rotate the Sprite object counter-clockwise.

```
auto mySprite = Sprite::create("mysprite.png");
mySprite->setRotation(20.0f); // rotate sprite by +20 degrees
mySprite->setRotation(-20.0f); // rotate sprite by -20 degrees

auto rotateTo = RotateTo::create(2.0f, 60.0f); // Rotates to a specific angle over 2 seconds
mySprite->runAction(rotateTo);
auto rotateBy = RotateBy::create(2.0f, -60.0f); // Rotates by a specific angle over 2 seconds
mySprite->runAction(rotateBy);
```




<http://www.cocos2d-x.org/docs/programmers-guide/3/index.html>



# Scaling and Skewing Surfaces

- Use `mySprite->setScale(factor);` to scale a surface
- Use `mySprite->setSkew(position);` to skew a surface
- Also: `scaleBy`, `scaleTo`, `skewBy`, `skewTo`

```
auto mySprite = Sprite::create("mysprite.png");
mySprite->setScale(2.0); // increases X and Y size by 2.0 uniformly
mySprite->setScaleX(2.0); // increases just X scale by 2.0
mySprite->setSkewX(20.0f); // adjusts the X skew by 20.0
mySprite->setSkewY(20.0f); // adjusts the Y skew by 20.0
```



<http://www.cocos2d-x.org/docs/programmers-guide/3/index.html>



# And many, many more...



TargetedAction, **Animate**, ReverseTime, DelayTime, TintBy, TintTo, FadeTo, FadeOut, FadeIn, Blink, ScaleBy, ScaleTo, BezierTo, BezierBy, JumpTo, JumpBy, **EaseBackInOut**, SkewBy, EaseBackOut, \_\_CCCallFuncO, EaseBackIn, SkewTo, EaseBounceInOut, MoveTo, EaseBounceOut, \_\_CCCallFuncND, MoveBy, EaseBounceIn, CallFuncN, EaseBounce, RotateBy, EaseElasticInOut, EaseElasticOut, RotateTo, SplitCols, CallFunc, EaseElasticIn, CatmullRomBy, SplitRows, ReuseGrid, Spawn, Follow, EaseElastic, Twirl, CCBEaseInstant, StopGrid, JumpTiles3D, CatmullRomTo, EaseSineInOut, CCBRotateYTo, DecelAmplitude, Waves, EaseSineOut, RepeatForever, WavesTiles3D, CCBRotateXTo, CardinalSplineBy, Place, EaseSineIn, AccelAmplitude, CCBRotateTo, Liquid, Speed, EaseExponentialInOut, TurnOffTiles, FlipY, CCBSoundEffect, CardinalSplineTo, EaseExponentialOut, Shaky3D, FadeOutDownTiles, Repeat, CCBSetSpriteFrame, AccelDecelAmplitude, EaseExponentialIn, FlipX, Ripple3D, FiniteTimeAction, FadeOutUpTiles, EaseInOut, TiledGrid3DAction, FadeOutBLTiles, RemoveSelf, EaseOut, FadeOutTRTiles, OrbitCamera, Sequence, Lens3D, EaseIn, ToggleVisibility, Grid3DAction, ShuffleTiles, EaseRateAction, FlipY3D, Hide, FlipX3D, ActionInterval, ActionTween, ProgressFromTo, Show, ActionCamera, ShatteredTiles3D, ActionEase, Waves3D, LuaCallFunc, ActionInstant, PageTurn3D, ProgressTo, GridAction, and ShakyTiles3D.

[http://www.cocos2d-x.org/reference/native-cpp/V3.0alpha0/db/d61/classcocos2d\\_1\\_1\\_action.html](http://www.cocos2d-x.org/reference/native-cpp/V3.0alpha0/db/d61/classcocos2d_1_1_action.html)



# Frame by Frame Animation

```
auto mySprite = Sprite::create("mysprite.png");

// now lets animate the sprite we moved
Vector<SpriteFrame*> animFrames;
animFrames.reserve(6);
animFrames.pushBack(SpriteFrame::create("anim1.png", Rect(0,0,65,81)));
animFrames.pushBack(SpriteFrame::create("anim2.png", Rect(0,0,65,81)));
animFrames.pushBack(SpriteFrame::create("anim3.png", Rect(0,0,65,81)));
animFrames.pushBack(SpriteFrame::create("anim4.png", Rect(0,0,65,81)));
animFrames.pushBack(SpriteFrame::create("anim5.png", Rect(0,0,65,81)));
animFrames.pushBack(SpriteFrame::create("anim6.png", Rect(0,0,65,81)));

// create the animation out of the frames
Animation* animation = Animation::createWithSpriteFrames(animFrames, 0.1f);
Animate* animate = Animate::create(animation);


// run it and repeat it forever
mySprite->runAction(RepeatForever::create(animate));
```

<http://www.cocos2d-x.org/docs/programmers-guide/4/index.html>



# Easing

Animating with a specified acceleration to make the animations smooth.



<http://www.cocos2d-x.org/docs/programmers-guide/4/index.html>



# Easing

```
auto mySprite = Sprite::create("mysprite.png");

// create a MoveBy Action to where we want the sprite to drop from.
auto move = MoveBy::create(2, Vec2(200, dirs->getVisibleSize().height - newSprite2-&gtgetContentSize().height));
auto move_back = move->reverse();

// create a BounceIn Ease Action
auto move_ease_in = EaseBounceIn::create(move->clone() );

// create a delay that is run in between sequence events
auto delay = DelayTime::create(0.25f);

// create the sequence of actions, in the order we want to run them
auto seq1 = Sequence::create(move_ease_in, delay, move_ease_in_back, delay->clone(), nullptr);

// run the sequence and repeat forever.
mySprite->runAction(RepeatForever::create(seq1));
```

<http://www.cocos2d-x.org/docs/programmers-guide/4/index.html>

# Sequences



```
auto mySprite = Sprite::create("mysprite.png");

auto jump = JumpBy::create(0.5, Vec2(0, 0), 100, 1); // create actions.
auto rotate = RotateTo::create(2.0f, 10);

auto callbackJump = CallFunc::create([](){ // create callbacks.
    log("Jumped!");
});

auto callbackRotate = CallFunc::create([](){
    log("Rotated!");
});


// create a sequence with the actions and callbacks
auto seq = Sequence::create(jump, callbackJump, rotate, callbackRotate, nullptr);

// run it
mySprite->runAction(seq);
```

<http://www.cocos2d-x.org/docs/programmers-guide/4/index.html>



# Spawn



<http://www.cocos2d-x.org/docs/programmers-guide/4/index.html>

# Literature



- <http://www.pygame.org/docs/ref/transform.html>
- <http://www.pygame.org/docs/tut/Movelt.html>
  
- <http://www.cocos2d-x.org/wiki/Actions>
- <http://cocos2d-x.org/docs/programmers-guide/4/>
- [http://www.cocos2d-x.org/docs/api-ref/cplusplus/V3.2/dd/d0d/group\\_actions.html](http://www.cocos2d-x.org/docs/api-ref/cplusplus/V3.2/dd/d0d/group_actions.html)