

A Survey of Augmented Piano Prototypes: Has Augmentation Improved Learning Experiences?

JORDAN AIKO DEJA, University of Primorska, Slovenia and De La Salle University, Philippines

SVEN MAYER, LMU Munich, Germany

KLEN ČOPIČ PUCIHAR, University of Primorska, Slovenia

MATJAZ KLJUN, University of Primorska, Slovenia




Fig. 1. Visual narrative of our survey on augmented piano prototypes in the context of learning. We highlight the key steps and findings from our interviews (0), its themes (1-4), evaluation strategies (5) and recommendations (in highlight).

Humans have been developing and playing musical instruments for millennia. With technological advancements, instruments were becoming ever more sophisticated. In recent decades computer-supported innovations have also been introduced in hardware design, usability, and aesthetics. One of the most commonly digitally augmented instruments is the piano. Besides electronic keyboards, several prototypes augmenting pianos with different projections providing various levels of interactivity on and around the keyboard have been implemented in order to support piano players. However, it is still not understood if these solutions are indeed supporting the learning process. In this paper we present a systematic review of augmented piano prototypes focusing on instrument learning, which is based on the four themes derived from interviews of piano experts

Authors' addresses: [Jordan Aiko Deja](mailto:jrdn.deja@gmail.com), University of Primorska, Koper, Slovenia, 6000 and De La Salle University, Manila, Philippines, jrdn.deja@gmail.com; [Sven Mayer](mailto:info@sven-mayer.com), LMU Munich, Munich, Germany, info@sven-mayer.com; [Klen Čopič Pucihar](mailto:klen.copic@famnit.upr.si), University of Primorska, Koper, Slovenia, 6000, klen.copic@famnit.upr.si; [Matjaz Kljun](mailto:matjaz.kljun@famnit.upr.si), University of Primorska, Koper, Slovenia, 6000, matjaz.kljun@famnit.upr.si.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2022 Copyright held by the owner/author(s). Publication rights licensed to ACM.

2573-0142/2022/11-ART \$15.00

<https://doi.org/10.1145/nnnnnnn.nnnnnnn>

to better understand the problems of teaching the piano. These themes are: (i) synchronised movement and body posture, (ii) sight-reading, (iii) ensuring motivation, and (iv) encouraging improvisation. We found that prototypes are saturated on the synchronisation themes, and there are opportunities for sight-reading, motivation, and improvisation themes. We conclude by presenting recommendations on augmenting piano systems towards enriching the piano learning experience as well as on possible directions to expand knowledge in the area.

CCS Concepts: • **Human-centered computing** → **Human computer interaction (HCI); Interaction devices**; • **Applied computing** → *Sound and music computing; Interactive learning environments*.

Additional Key Words and Phrases: augmented piano, music learning, systematic review, survey, piano

ACM Reference Format:

Jordan Aiko Deja, Sven Mayer, Klen Čopič Pucihar, and Matjaž Kljun. 2022. A Survey of Augmented Piano Prototypes: Has Augmentation Improved Learning Experiences?. *Proc. ACM Hum.-Comput. Interact.* 7, ISS (November 2022), 28 pages. <https://doi.org/10.1145/nnnnnnnn.nnnnnnnn>

1 INTRODUCTION

When learning an instrument, several factors and problems need to be considered. These can either be (i) *physical* (maintaining a proper posture, assuming a height level required for a particular instrument, length of fingers, arms and their flexibility, one-size-fits-all designs of instruments), (ii) *cognitive* (acquiring, understanding, retaining and applying music knowledge) [56], (iii) *psycho-cognitive* (visual - reading the notes and synchronising them with various body parts, auditory - hearing the sound of notes being played, tactile perception and strength of one's press) [24, 124] or (iv) *affective* (willingness to learn, motivation to practice) [12, 83].

Using the piano as an example, playing it involves a proper sitting posture and distance from the instrument to ensure optimised movement of the arms and fingers when pressing keys. Playing also requires proper timing and coordination between hands, eyes, and feet (on the pedals). For most novice students, getting used to these motor skills along with the cognitive task of reading music sheet notation can be overwhelming [59]. In addition, the physical characteristics of the instrument (e.g., grand piano vs electronic keyboard) may introduce extra challenges in terms of accessibility, and comfort with prolonged usage, thereby affecting the student's practice. Practising and ensuring motivation can also be challenging. This is usually addressed by having regular practice sessions with an experienced teacher, while constant validation and monitoring of progress help students to learn faster, given their perseverance and consistent preparation.

Despite these issues, the piano remains a popular choice among novice players [104]. As such, it also attracts researchers [36] pushing for computer-supported contributions in the form of augmented interactive surfaces on and around the piano, providing supporting information to the learner. Some prototypes [47, 161] were used to explore mobile augmented reality (AR), focusing also on hand-tracking by optimising detection and finger recognition [60, 78]. Other works [154, 155] explored varying forms of visualisations to enrich viewing and listening experiences. Given these contributions, it is yet to be investigated how these prototypes support the piano learning process through various types of augmentations. Thus, this paper aims to understand the general space, challenges, and opportunities of piano augmentations aimed at learning.

We focus our study on two research questions: (i) What has been augmented in pianos? and (ii) Do these prototypes address issues exposed by piano teachers? To this end, we conducted interviews with ten piano teachers and teachers of piano didactics to investigate the main themes around piano teaching and learning and did a literature review of augmented piano prototypes consisting of 56 papers. We synthesised our qualitative reviews and the insights we learned from our expert interviews into what we present as piano learner-based themes. Next, we explored how 56 prototypes address these themes and the focus of the technology shift throughout the years.

We also propose possible future directions in the form of recommendations. Finally, we envision some and challenge our ideas towards an ideal augmented piano prototype that supports these learner-based themes and alleviates the factors and problems mentioned earlier.

2 BACKGROUND

In the following, we give an overview of two key areas. First, we give an overview of the theoretical background of learning an instrument. Second, we introduce the concepts of instrument augmentations.

2.1 Instrument Learning Methods, Theories and Approaches

The usual approach to music teaching is that an experienced musician, the teacher, passes the knowledge to a novice student. These sessions are complemented by personal practice to acquire the skills needed for the next session with a teacher. There are four primary methods that teachers can integrate when teaching music and instruments: the Kodály, Orff Schulwerk, Dalcroze, and the Suzuki method. The Kodály method [20] uses hand signals, shorthand notation and rhythm verbalisation to prepare students to have a solid grasp of music theory and musical notation in both verbal and written forms. The Orff Schulwerk [122] approach introduces pupils to the rudimentary forms of music at an early stage. It combines instruments, singing, movement, and speech to develop children's innate musical abilities. As such, it fosters self-discovery and improvisation, which moves away from repetitive mechanical drills. The Dalcroze method [91] is considered the rhythm gymnastics approach to music learning. Students are instructed to emphasise physical awareness and engage with music involving all their senses and kinesthetic skills. Finally, the Suzuki method [109] draws inspiration from music learning, similar to the approaches to learning one's native language. It describes an ideal environment that considers high-quality music samples, rote (mechanical) training, and repetition. Apart from these four internationally-renown methods, several others have been influential to music learning, such as Gordon, Reggio Emilia [16, 41, 48, 135], Russian Piano method [18] and others.

All these methods consider psycho-motor, cognitive, and affective domains. The psycho-motor domain in music education focuses on the development of movements and responses that the body performs based on visual, auditory, and tactile stimuli [124]. The cognitive domain describes the process of how a student acquires, retains, and applies knowledge of essential concepts and foundations in music, which leads to more effective music learning experience [56]. This domain supports various music-making phases, such as performing, improvising, composing, arranging, and conducting. Having a concrete foundation in this domain ensures encompassing the development of the student [145]. While the affective domain covers students' willingness to receive, reflect and share what they have acquired during the music learning process, as well as music appreciation and sensitivity as a response to the emergence of music education as an aesthetic learning process [83]. Music teachers are using a selected method (or methods) to teach music and musical instruments, but all need to take into consideration all domains to deliver their instructions effectively [12].

Beyond the scope of music learning methods, other general learning frameworks have also helped to describe and understand the music learning process. Among these are Social Learning Theory (SLT) [49, 81, 142], Experiential Learning (ExL) [70, 114, 143], and Active Learning (AL) [93, 121]. Since learning a musical instrument such as the piano requires a tactile perception, familiarising with the equipment is also an important component of learning. As some experts claim, learning a musical instrument is like learning how to ride a bicycle or play tennis [66]. Students improve their skills by actually *doing* them repeatedly until they master them [130].

In recent years, gamification has been introduced as a strategic attempt to improve existing systems, thereby motivating and engaging users [8]. It involves the use of game-design elements

such as game objectives where one defines some kind of goal or outcome players can work towards, game constraints, which set limits on what players can or cannot do, and success criteria which we use to know when the objectives are met reward system to generate incentives rewarding success, play which makes the game fun and optionally competition [134]. Game-design elements and principles can also be used in non-game contexts [37, 111] such as learning and playing the piano. Furthermore, making existing tasks feel more like a game are also included in gamification's scope. It has been observed that introducing game-based elements helps students learn, which in turn improves the flow, engagement, and immersion [55]. Similarly, the incorporation of game-based elements has effects on the cognitive and psycho-cognitive domains of learning, as seen in other experiments [158]. Gamification focuses on maximising engagement and capturing the student's interest, thereby contributing to the affective domain in learning as well. Specifically, learning is facilitated by incorporating some (but not limited to the following) elements: (i) progress mechanics, (ii) narrative and characters, (iii) player control, (iv) immediate feedback, (v) learning by scaffolding and many others [136, 137].

2.2 Instrument Augmentations

In the last couple of decades, digital technology interventions have been introduced to musical instruments to improve one or several of their features and properties [80] such as portability, automatic tuning, immunity to harmful conditions like humidity, recording capabilities, volume control, and logging of student input, to name a few. For sure, this depends on the instrument itself. Nevertheless, all classes of instruments can be equipped with auxiliary hardware, peripherals, and sensors to improve the sound quality [89] or to track user motion while playing them [54]. We have seen digital augmentations of string [106], wind [123], and other instruments [100, 139] as well as the piano.

As electronic pianos are commercially available and given their popularity as a learning instrument of choice [125], augmentations in their design have been of interest to both the academic community and the industry. Augmentations in the piano have either been done to emulate the grand piano as an instrument or to introduce newer experiences in either learning [144], playing [154], improvising [63] and performing [152] and in general supporting various of above presented learning theories, methods and approaches with the aim to support students during the learning process (e.g., preview the playback, get feedback based on a recording, gamifying the playing experience, etc.)

Even though several augmented piano prototypes have been designed with implicit or explicitly-defined gamified, game-based and other learning elements, we argue that their effects have not been well-understood. Some prototypes have applied SLT or ExL as the guiding principle in their instrument design. What has yet to be explored is whether these prototypes are in line with the requirements the piano teachers have during their teaching process and if they can help learners or improve the learning process.

3 INTERVIEWS WITH EXPERTS

To better understand the teaching and learning piano process as well as problems, issues, and needs related to these processes, we first conducted interviews with piano teachers. The goal of the interviews was to learn more about the piano learning process and difficulties experts encounter in teaching as well as their insights about musical instrument augmentation.

Table 1. Piano Expert Demographics and Overview. *E3 and E4 shared that they use their own inspiration from previous existing methods learned.

Expert #	Sex	Years Playing	Years Teaching	Method(s)
E1	M	32	17	Russian piano method
E2	M	36	17	Russian piano method
E3	M	31	18	personal piano method*
E4	M	19	7	personal piano method*
E5	F	21	21	Russian piano method
E6	F	41	30	Eclectic, Kodaly method
E7	F	49	38	Eclectic, Dalcroze method
E8	M	17	7	Eclectic, classical method
E9	M	56	40	Suzuki and Kodaly method
E10	M	25	19	Eclectic method
<i>n</i> = 10	Mean	SD	Range	n [%]
Years Playing	32.7	13.0	17-56	
Years Teaching	21.4	11.4	7-40	
Male-Female ratio				7:3 [70%:30%]

3.1 Recruitment and Interview Protocol

In total, we recruited ten piano teachers from various music schools, different stages of their careers, and different music teaching systems (private or public schools) from the Philippines, Slovenia, Switzerland, and United States, see [Table 1](#).

In the semi-structured interviews, we inquired about the following questions and asked follow-up questions if needed:

- (1) What specific method, framework, or approach do experts use when teaching?
- (2) What are the problems and good experiences they faced or their pupils face when learning the piano?
- (3) What are the problems and good experiences they face when teaching the piano?
- (4) What specific physical factors or nuances do they focus on to lessen or mitigate errors?
- (5) What concepts/topics in the music curriculum do they focus on more and/or which concepts/topics do they believe need more focus?
- (6) What is their level of acceptance/openness to the use of digital technology and augmentations when teaching the piano?

Additionally, we presented the experts with video demonstrations of digitally augmented piano prototypes (specifically the works of [132, 144, 152]). Based on that, we solicited their opinions on the value of various features introduced by these augmentations. The interviews lasted from 30 to 45 minutes. All interviews were conducted in English, recorded and transcribed. Next, we reviewed the transcripts and conducted a thematic analysis as in [9, 51]. We looked for common problems, wishful thoughts, methods employed and piano teachers' ideas about digital augmentations.

3.2 Insights and Feedback from Experts

The overview of transcripts' analysis and coding is illustrated in [Figure 2](#). In the first stage (level 0), the transcripts were coded into 164 insights. Using the affinity diagram technique, we came up with 8 initial Categories (level 1) based on how related they are to each other. These categories are




Fig. 2. Sankey diagram depicting the coding process. We show Level 0 (Insights) to Level 1 (Categories), Level 2 (Subcategories), and Final Level (themes and recommendations). The main branches in the final level are used to guide the categorisation of the papers in the corpus. The recommendations were also synthesised with the data analysed from the papers to develop future explorations on piano augmentation.

(1-A) Notes, sight-reading and music theory, (1-B) Movement, (1-C) Anatomy and posture, (1-D) Motivation and practice, (1-E) Improvisation, (1-F) Technology, (1-G) Reflection, and (1-H) Others. Next, we draw inspiration from the domains (psycho-cognitive, cognitive, physical, and affective) described in Section 2.1 and conceptualised four themes (2A–2D, level 2): (2-A) Sight-reading (psycho-cognitive), (2-B) Synchronisation (physical), (2-C) Motivating students (affective), (2-D) Enabling Improvisations (cognitive). The other categories that we thought did not belong to any of these four themes were then categorised as recommendations (2E–2F): (2-E) Teaching and (2-F) Tech recommendations. The complete affinity diagram with the individual insights from the experts is included in the supplementary material.

3.2.1 On Teaching and Music Curricula. All our experts (E1–E10) use sight-reading as an essential skill when learning the piano. E4 thinks that younger people learn music theory and sight-reading faster than their older counterparts. E10 emphasises this by saying “*there is no basis of comparison; you need to read the notes if you want to learn.*” They argue that learning sight-reading along with the appropriate music theory (E2) and historical interpretation of the musical piece (E3, E6, E9) helps the students appreciate the piece, which in turn may improve the learning experience. Based on their experience (E1, E3, E6), using visual aids and animations (e.g., animated videos of frogs jumping on a lotus leaf to denote beat and timing) also helped their students learn other concepts such as time signature and rhythm.

E7 and E9 mentioned that there are usually two types of learners - those who are aurally gifted (those who can learn and play by ear) and those who are not. Students who cannot learn or play by ear need sight-reading, and those who can play by ear may rely more on auditory feedback. E8 notes that students initially learn music theory first so they can later on “*break these rules*” especially when they are learning improvisation. When it comes to teaching sight-reading, our experts vary in some of their approaches. E2, E3, and E10 teach the basics of note reading first as fast as possible, contrary to how E9 focuses on the problematic parts of sight-reading (measures, chord combinations) and lets the student learn the easy parts on their own. E2 and E6 believe that the current system needs a better approach to teaching sight-reading since many still struggle in this area.

Along with sight-reading and music theory, we note that experts highly regard physical anatomy concerning proper movement (E1, E2, E3, and E8). “*There are statistics on people with posture*

problems and injuries, so this area needs focus also” as shared by E1. “[*Body*] *technique is important in the long run, but this depends on the focus of the teacher and goal of the student*” E5 says. To address this, they sometimes borrow methods from dance following Dalcroze principles (E9) or using regular exercise routines (E3). This potentially helps the body, especially the fingers and arms, warm up in preparation for more extended practice periods. When some students struggle because of these anatomical features, E6 prepares specialised routines to help them while E9 focuses on different body parts (right hand first, then left hand next ...). In addition, E6 mentions the VARK framework in music pedagogy, which stands for Visual, Aural, Reading, and Kinesthetic approaches to learning the piano. E3 and E6 also incorporate a learner-centred approach to customise and adjust their methods based on where the students strive or struggle. E1, E2, and E3 record their sessions and use them as a reflective approach to improve their subsequent sessions. E6 and E7 use a journaling/annotative technique alternatively. E5 uses a piano-teaching chart to monitor the practice sessions of their students.

All of our respondents have emphasised that practice is crucial for learning the piano. While younger kids quickly learn music theory, they struggle more in the practice department (E7). “*Talent is not enough, you need to practice and work hard*” added by E9. While dedicated practice time is incorporated into the delivery of their lessons, some experts also noted the importance of immediate feedback and positive reinforcement during their sessions (E4, E6, E7, E8, and E10). Introducing variety in their assigned music pieces to learn has also helped the students’ experience (E2 and E4), while E3 and E5 think repetition is key to mastering a specific piece. E2, E4, and E10 also believe that other approaches (such as game-based) might be able to motivate students and help them in their struggle to practice.

3.2.2 On Improvisation. We specifically inquired about expert methods, frameworks, pains, and experiences during our interviews when teaching the piano. Interestingly, during our interviews, improvisation emerged as a notable topic for discussion (only E4 did not mention or share insights about it). To quote E3, “*there are [always] 50 [and] more rules in music to follow, and I’m trying to find a hack*” as they referred to improvisation. E2, E3, E9, and E10 believe that improvisation leans on more creative aspects of music as it encourages “*playing by heart*” (E2) or gives focus on having “*your own interpretation of the song*” (E3) as it “*adds artistry to one’s talent*” (E9). The notion of improvisation involves a “*listen, imitate then try*” approach to music (E1), where even though you need an understanding of the music rules, the exercise gives you a certain level of freedom in terms of interpretation (E5).

Despite all of this, our experts believe that improvisation needs an extra level of focus in the piano learning process. E1 thinks that improvisation is not common in the Western systems anymore, while E2 believes that improvisation is challenging to assess and measure, underrated and hard to teach (E8). E6 believes that improvisation requires an advanced level of aural ability and feedback, while E9 mentioned that students struggle in learning and are confused when they try to improvise. The experts also believe that teaching improvisation may benefit from approaches such as the use of cadenzas¹ for references (E8), giving immediate feedback in terms of sound quality (E9) and possibly with the use of technology-aided visualisations.

3.2.3 On Technology and Digital Augmentation. Our experts have been teaching piano for an average of 21.4 years. This means that they have spent a significant amount of time teaching the piano before the covid-19 era, where at present, they are forced to teach remotely using technology.

¹In music, a cadenza is, generically, an improvised or written-out ornamental passage played or sung by a soloist or soloists, usually in a “free” rhythmic style, and often allowing virtuosic display. Source: <https://en.wikipedia.org/wiki/Cadenza>

In our interviews, we explored their openness to technology, their tools, and their wishful thoughts on the technology that may help teach piano.

All experts argue that teachers should still be the primary providers in the piano learning process instead of being replaced by digital apps and tools. E1 thinks that while technology is their weakest point, they have expressed their openness to using technology when teaching. Other experts provided several points on how technology can aid them in piano teaching. E1–E3, and E7 record their students' sessions using video and multimedia capture devices. *"I wish I could annotate my comments on their performance"* as shared by E7. E5 believes that the best way to learn the piano using tech should be [almost] similar to how it is taught traditionally. A metronome-related app could be an ideal concept, as shared by E4. Similarly, E5 resonates with this idea but adding *"I should know the tempo element in these apps"* possibly referring to the visuals commonly used in piano roll apps. Concepts in dynamics (such as crescendo and decrescendo) are not typical and evident in these apps (E6). Beyond apps and visualisations, software features should be able to encourage and motivate students to practice outside teaching sessions and foster collaboration. E3 and E6 use available tools to share notes, and *"musical repositories"* consist of different materials and lessons.

During the interviews, we showed our experts videos and previews of augmented piano apps (such as the works of [113, 132]) and solicited their opinion about these prototypes. *"Combine traditional notes and falling bars and you get the best of both worlds"* stated by E3. E7–E10 resonates with this sentiment by emphasising including or mapping musical notation somewhere so students do not neglect sight-reading. They think they can remain fluent with notes if they had prior training when using these augmented pianos. From a different angle, E5 believes that when you teach students using piano rolls alone, you only teach them how to play a song. They add *"if you already know how to play [by sight-reading], using the piano roll might be hard for you since you need to unlearn the notes you have learned prior."* E3 believes that learning the piano roll alone would be *"static."* E6 thinks that some students will benefit from the piano roll if they have the excellent aural ability. As these opinions may vary, it is clear that our experts would recommend that piano roll visualisations should be mapped with an additional level akin to that of classical musical notation.

3.2.4 Other insights on the piano learning process. Our experts were also able to share some other insights into the context of learning the piano. E10 believes that tactile feedback is also essential when learning the piano. Similarly, E6 and E8 think the same, which is why they also consider the type of interface (classical piano, organ or a Clavinova) their students use when learning. E8 shares that students also lack training with sound feedback - they need to know what a note should sound. This helps significantly in helping students learn improvisation. E9 supports this claim from experience. They have observed that students grasp a piece listening by listening to it by ear and then integrating the Suzuki method to integrate sound, movement, and music notation easily. Some experts (E7, E10) also believe that the human touch should be incorporated when teaching the piano since some students learn by heart (E3). In the experience of E10, they customise their lessons based on their students' personalities. We believe these comments and insights warrant further investigation and may be worth exploring in the future.

3.3 Synthesis of Findings and Deriving of Themes

The coding resulted in four (4) recurring learner-based themes concerning piano teaching and learning: (i) synchronising movement and posture between various body parts, (ii) improving sight-reading skills, (iii) motivating students to practice, and (iv) encouraging improvisation. These will be discussed further in Section 5. These four themes were then used to categorise the prototypes found in literature as explained in the next section. Figure 3 shows different steps involved in




Fig. 3. Overview of steps in this paper. PRISMA principles were incorporated in the qualitative review. Thematic analyses were done in the interviews and synthesis section.

this research. It includes two branches whose results were then synthesised to come up with recommendations for our research question.

4 SYSTEMATIC REVIEW OF PROTOTYPES

To understand the space of augmented piano prototypes and their support for learning experiences, we followed the *Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA)* technique [94]. Approaches from similar reviews on related topics such as augmented reality in education [7, 118], mobile augmented reality applications [120], mixed reality [128], learning and information management [69], as well as reviews in music systems and prototypes [35, 84] were also followed. A visual abstract of these augmentations is displayed in Figure 4.

4.0.1 Search for Prototypes. We conducted a literature search in Google Scholar, ACM Digital Library, and other digital libraries. Scientific articles ranging from January 2005 until December 2021 were considered in the search. We used all combination of the following keywords {"augmented reality", "AR", "augmented"} with these {"piano", "keyboard", "guitar", "drum", "violin", "flute"}, resulting in search terms such as {"augmented reality piano"}. We included the words {"guitar", "drum", "violin" and "flute"} to understand how many contributions have been published for a particular instrument and to confirm if the piano is the most augmented one. We considered only scientific papers written in English and ended up with a total of 1,307 search results. Among found, 635 papers focused on piano and keyboard (48.6% of the results), 260 on violin (19.9% of the results), 206 on guitar (15.8% of the results), 174 on the drum (13.3% of the results), and 32 on flute (2.4% of the results). Based on these numbers alone, we can observe that the piano is a popular choice for augmentation.

4.1 Inclusion Criteria

We defined selection criteria to identify a subset of papers that fit with the context of our research questions. We included papers about:

- (1) a physical prototype involving a piano or keyboard, which has been augmented or equipped with auxiliary hardware (e.g., sensors, cameras, projectors) and software (e.g., features, lighting, modules) OR
- (2) a virtual piano prototype that has been implemented in a mixed/virtual/augmented reality environment;
- (3) a usable piano prototype, and not an abstract or a schematic concept only;
- (4) the augmentation is intended towards solving a specific piano user problem; and

Table 2. The corpus of the papers on digitally augmented piano prototypes and the learner-based themes they cover, sorted by the year of publication. Legend: # = number of citations; *Synch* = Synchronising movement and posture between various body parts; *Sight* = Improving sight reading skills; *Motiv* = Ensuring motivation of students; *Impro* = Encouraging improvisation.

Author(s)	Year	#	Synch	Sight	Motiv	Impro	Additional info
P01 Barakonyi and Schmalstieg [3]	2005	58	✓			✓	suggests chords and harmonising melodies
P02 Schmalstieg and Wagner [119]	2007	298		✓	✓		rewards users with artefacts
P03 Correa et al. [25]	2009	75	✓				considers hand, arm, leg mobility
P04 McPherson and Kim [85]	2010	3				✓	gestures for improvising
P05 McPherson and Kim [88]	2010	55				✓	cont. of P04
P06 Zhang et al. [163]	2010	25	✓				repetitive motion for use of glove;
P07 McPherson and Kim [89]	2011	31	✓				identifiers improper actions by user
P08 Huang et al. [60]	2011	60	✓				detailed tracking of fingers
P09 Xiao and Ishii [153]	2011	42	✓		✓		piano collaboration space
P10 Xiao and Ishii [154]	2011	8	✓		✓		watch recording for self reflection
P11 Hadjakos [54]	2012	43	✓				head, shoulder, arm detection, depth sensing
P12 Nicolls and Gillian [101]	2012	12				✓	gesture controlled live impro, motif grabbing
P13 Yang and Essl [156]	2012	23		✓		✓	guided note viz, gesture to adjust quality
P14 McPherson and Kim [90]	2012	47	✓		✓		detects shallow or deep presses
P15 Takegawa et al. [132]	2012	33	✓	✓			notation is mapped to viz
P16 McPherson et al. [87]	2013	23	✓				tracks intentional and unintentional presses
P17 Yang and Essl [157]	2013	9		✓		✓	same as P13
P18 McPherson [86]	2013	26	✓				captures continuous key motion
P19 Chow et al. [22]	2013	64		✓	✓		piano roll and notation mapping
P20 Weing et al. [144]	2013	37	✓		✓		specific finger mapping, has practice mode
P21 Chouvatut and Jindaluang [21]	2013	8		✓			notes are accompanied by sound feedback
P22 Oka and Hashimoto [103]	2013	30	✓				recognises multiple fingering
P23 Xiao et al. [152]	2013	17	✓			✓	conjured projection to review performance
P24 Goodwin and Green [47]	2013	15	✓				observing of hands from a monitor
P25 Zandt-Escobar et al. [160]	2014	12	✓				monitors synchronisation of presses
P26 Xiao et al. [155]	2014	36	✓				uses body rhythm to guide movement
P27 Raymaekers et al. [110]	2014	26	✓		✓		game based incentives for practise
P28 De Pra et al. [29]	2014	9	✓				teaches proper finger movement
P29 Chiang and Sun [19]	2015	3		✓			teaches which key to press based on sound
P30 Dahlstedt [26]	2015	4				✓	focused on gesture impro, harmonics
P31 Zaqout et al. [161]	2015	1	✓				mobile based keystroke gesture detection
P32 Fernandez et al. [43]	2016	9			✓		fun way of practising, agent points out errors
P33 Liang et al. [78]	2016	27	✓				detects soothing rhythm movements
P34 Ogata and Goto [102]	2017	1				✓	allows users to use other hand for gesture impro
P35 Liang et al. [77]	2017	9	✓				tracks foot pedalling
P36 Hackl and Anthes [53]	2017	13	✓				HMD viz to guide key pressing
P37 Das et al. [27]	2017	12	✓		✓	✓	has jazz, blues rock; has lesson builder
P38 Rogers et al. [113]	2017	50	✓	✓	✓		colours to support correct fingering; practice modes
P39 Birhanu and Rank [6]	2017	5	✓	✓			Hololens; maps keys to notes; detects posture
P40 Trujano et al. [138]	2018	8	✓				teaches length of notes when pressing
P41 Sun and Chiang [131]	2018	4	✓	✓	✓		practise mode
P42 Pan et al. [107]	2018	2	✓		✓		paired user play; shows note information
P43 Granieri and Dooley [50]	2019	3				✓	hand tracking of gesture impro
P44 Zeng et al. [162]	2019	9	✓				pairwise collaboration and key finger harmony
P45 Molloy et al. [96]	2019	8	✓				measures cognitive load, gamification of notation
P46 Cai et al. [15]	2019	3	✓		✓		competition as a motivating component
P47 Gerry et al. [44]	2019	3	✓				teaches improved motor sensing in performances
P48 Cai et al. [14]	2019	2	✓	✓			key presses with note mapping
P49 Sandnes and Eika [116]	2019	3	✓	✓		✓	jazz chords; chord info mapped on keypress
P50 Santini [117]	2020	2		✓		✓	virtual note sheet that moves with keypress
P51 Karolus et al. [63]	2020	10				✓	EMG to measure user flow in impro
P52 Moro and McPherson [98]	2020	0	✓			✓	continuous key sensing and gestural technique of pianist;
P53 Molero et al. [95]	2021	7			✓		visualise music concepts (using metaphors), gamified
P54 Stanbury et al. [129]	2021	0	✓				instructors remotely teach students, live demo of keyboard view
P55 Guo et al. [52]	2021	3	✓	✓	✓		3D animation of natural hand motion, piano roll hint
P56 Kilian et al. [67]	2021	1				✓	interface to replace piano pitch wheel for impro

39 (80%) 14 (27%) 16 (31%) 16 (31%)

- (5) an augmentation that uses digital technology beyond what is already commercially available (e.g., an electronic keyboard is technically an augmented classical piano, but since these are commercially available, we look at augmentations beyond their features).

Following the said criteria, we narrowed down the set of 595 piano and keyboard papers to 56 papers.

4.2 Qualitative Analysis of Prototypes

Following the PRISMA approach, we collected qualitative data on the included papers. We extracted categorical information from the papers such as year of publication, the number of citations, the technology used, type of augmentation, number of participants in a user study, metrics or constructs measured (e.g., satisfaction, user experience, immersion, etc.), experiment treatment, tools and other descriptive information. This information was tabulated and stored for the succeeding steps. It is important to note that the aim of this review is *not* to define a digitally augmented piano but rather to collect as many examples of pianos that have been digitally augmented.

We then coded the extracted information from each of the 56 papers selected in the process (as in [147]) to see whether there are patterns or similarities in how the prototypes presented were designed. Initially, the four (4) domains presented in Section 2 (physical, cognitive, psycho-cognitive and affective) guided us in this conceptualising the themes, which in turn was used as the basis in organising our corpus of papers. We categorise the prototypes based on learner-based themes for the piano (see Table 2).

5 LEARNER-BASED THEMES

In this section, we discuss the four (4) learner-based themes we have derived from the interviews. In addition, we present 56 augmented piano prototypes and categorised them on how they subscribed to these learner-based themes.

5.1 Synchronising Movement and Posture Between Various Body Parts

Playing the piano involves several motor skills, such as maintaining proper posture, using both hands and all fingers to press keys, and coordinating everything with the foot movement (pedalling). These skills fall under a the physical domain used when learning a particular instrument [45]. In retrospect, most traditional music teaching frameworks (see Section 2) introduced various methods (in the form of mechanically repetitive exercises or kinesthetic activities) that help novice students to develop the required skills to play an instrument. However, the difficulty in synchronising movement goes beyond motor skills and is also related to understanding basic music rudiments and theories. Synchronising movement and posture and an almost natural flow to the piece's rhythm is essential in ensuring sound quality. Here, we highlight augmented piano prototypes that captured, tracked body movement (key presses, hand movement, body posture) and provided feedback to the user.

Earlier prototypes began with the goal of detecting key presses and giving immediate or post-performance feedback to the user [3, 60, 89, 131] (displaying errors in timing, colouring which press was correct). Some prototypes focused on synchronising finger-hand-arm movement with the ultimate goal of improving the moving flow or enabling faster movement among users [25, 163] - a type of feedback that learners will usually receive when being observed by a piano teacher. With the help of these augmentations, piano teaching systems can show the learner if there are areas for improvement in their movement or posture almost immediately. Some augmented piano prototypes distinguished between deep and shallow presses [90], or intentional and unintentional presses [87]. These prototypes were meant to develop systems to help recognise "natural" flow of movement of the body parts involved.

There were 39 papers in total that discussed the synchronisation of body parts as (one of) their focus (foci). Out of these, only one covered foot pedalling [77] while the rest focused on monitoring and giving feedback on finger presses alone [29, 53, 86, 96, 103, 107, 110, 113, 116, 138, 144], finger-and-hand movement [14, 78, 161], finger-hand-and-arm [25] and finger-hand-arm-and-shoulder [54] movement as well as whole body movement [6].

The MirrorFugue series [152–155] along with some other prototypes [47, 129, 160] tackled the problem of synchronisation of body movement with the use of self-reflection. In this technique, the researchers used various visualisations (showing a remote tutor or players' body reflection) projected and seen by the user, thereby allowing them to watch, review, and reflect on their own movement. The technique acts as indirect feedback that enables users to learn from their mistakes and improve on their movements. Besides self-reflection, some prototypes utilised real-time visualisations to help learners improve their movement and synchronisation. For example, the Augmented Design to Embody a Piano Teacher (ADEPT) [44] prototype provided a virtual teacher (or a tutor in the case of the prototypes by [15, 52, 98, 162]) visible through an AR head-mounted display in front of the student. At the same time, the virtual hands of the teacher were visible on top of the physical keyboard, together with blue highlights on the currently pressed keys. Fernandez et al. [43] also tracked the keys on the keyboard, highlighted the keys needed to be pressed, and entertained players with *anime*-inspired agents to teach piano. The prototype also featured a piano roll visualisation to guide the student.

Sitting posture has not been explored yet in the context of digitally augmented piano prototypes. However, various technology-supported monitoring of a proper sitting posture exist and have used computer vision techniques with camera(s) either in front (e.g., Mu et al. [99]) or on the side of users (e.g., Zorč et al. [165]), as well as sensors either on the body (e.g., Dunne et al. [40]), chair (e.g., Tan et al. [133]), or clothes (e.g., Mattmann and Troster [82]). Foot dynamics while playing the piano is usually not in the users' sight and is, together with monitoring sitting posture, least explored in the context of augmented piano prototypes.

5.2 Improving Sight Reading Skills

A prior understanding of music notation is necessary for students to play an instrument effectively. Ideally, a user can sit down in front of a piano, read the music sheet notation, and play the piano following the said notation. This skill is referred to as *sight-reading*, which includes reading the notes and synchronising them with various parts of the body. While the previous theme focuses on the movement aspect (thus the physical domain in piano learning), sight-reading takes the skill to a different level, which also uses the sense of vision and cognitive processes. Therefore, the skill of sight-reading falls under the domain of a psycho-cognitive task [150]. This skill is also challenging and not quickly learned by piano learners.

Several papers addressed the difficulty in sight-reading by incorporating visualisations. These prototypes omitted the music sheet notation entirely, intending to lessen the learning curve in sight-reading [113]. They do this by overlaying moving piano roll visualisations, making them more straightforward [141], thereby teaching players which key to press, when to press and when to release/hold it. The authors of these prototypes believe that the complexity of the music sheet notation (especially in more advanced musical pieces) adds to the cognitive load that overwhelms piano learners. In these visualisations, information usually denoted in music sheets is abstracted in coloured bars that may be translated into finer details such as the length of a beat, trill, staccato, and many others. In effect, these prototypes may teach users to play a piece or a song *but not necessarily to play the piano* - with sight-reading as a skill. The interviewed teachers often do not agree with such an approach since they believe that this does not use all the skills that piano learner acquires when they learn the instrument traditionally. According to our interview findings, an ideal augmented prototype must represent sheet notation into a compelling visualisation that helps the learner process this information - not remove them entirely. In some instances (especially for complex chords and progressions), audio feedback is also a desirable augmentation. We used these findings to categorise which piano prototypes had sight-reading as a theme of focus. Based on our

analysis (Table 2), we found that 14 (out of 56, roughly 27%) of the papers included in this review complied with this theme based on this criteria.

To make piano roll visualisations more effective, we argue these visualisations should be mapped with the music sheet notation to teach or help in sight-reading. The papers seen in Table 2 marked under *Sight* have been categorised to satisfy this criteria. Their piano roll visualisations came with an extra layer of information that allowed the user to review and map these visualisations to their representation in a musical sheet [119, 156, 157]. The most common approach involved a projector that overlaid visualisations of moving piano bars [6, 14, 113, 113, 131, 132, 144]. Head-mounted displays (HMDs) were also used to show these piano visualisations [5, 22]. While the majority of such prototypes featured classical music in piano roll visualisations, other music genres were also explored, such as jazz [116]. Some included additional visualisation guiding user gestures [117]. Other prototypes expanded the scope of piano roll visualisations on other devices (e.g., Chow et al. [22]) or other use cases such as gestures [117, 156, 157], game-based learning (quizzes and hints) [52, 119]. Lastly, some prototypes augmented visualisations with sound feedback [19, 21, 131] to teach learners how to map music notes, piano rolls and corresponding sounds.

The papers categorised in this theme focused on whether learners understand music sheet notation and know which keys and when to press them. Thus, a construct measured in these studies is key-press accuracy. While this can be a good metric of performance (number of correct presses vs number of total presses; the number of correctly-released presses vs number of total presses), we argue that measuring actual sight-reading is more challenging to assess. A psycho-cognitive task would require more factors or parameters to be measured more accurately (such as knowledge of music theory and, in some instances, sound quality). As playing a musical instrument is similar to speaking a second language, their differences end with the tactile part of properly pressing the right keys. As emphasised in our interviews, a solid understanding of musical notation is necessary for learners to play the piano in the long term. Ideally, as being able to press the right keys at the right time needs to be synchronised with it, the language represented by a (complex) notation of notes, rests, staves, and other musical notations are considered simultaneously. We provide more details on this in our recommendations; see Section 7.

5.3 Motivating Students to Practice

Traditionally, piano students attend one-on-one classes run by a teacher. In these classes, students gain fundamental theory and practical lessons to play a particular piece of music. However, their skills can only be improved further by regular practice. Thus, the teacher often provides students with *take-home activities*, while students are expected to practice and master the content in preparation for the next class. Yet, being self-regulated to practice continuously is a difficult task on top of practising the piano itself. Thus, several approaches have been introduced to encourage and sustain the motivation of piano students. This makes the theme of motivating students to practice an effective one since it considers the context of emotion and motivation.

Monitoring students' progress, tracking their performance and accuracy, encouraging regular practising, and generally motivating students are critical elements in the learning process. Experienced teachers believe that novices and proficient students are set apart by the hard work dedicated to mastering the craft [2]. In the context of piano learning, several strategies to motivate students have been introduced by digitally augmented piano prototypes. The most common approach is through the use of gamification, where the learner becomes motivated by the elements of game playing [95, 119] and other game-based incentives [43, 96, 110] such as earning points by regularly playing the piano. Another strategy is introducing competitions in collaborative piano environments [15, 107].




Fig. 4. Approaches to Piano Augmentation based on themes.

Self-regulation has also been observed among students as they are encouraged to maintain a regular practice schedule with the help of augmentations that introduce interpersonal and remote spaces (involving a tutor) [153, 154]. With this feature, students can watch their performance either in real-time or after performing a piece. This feature draws inspiration from the theory of Zimmerman and Moylan [164] on how self-reflection promotes self-regulated learning, which has been supported by numerous experiments (e.g., Deja and Cabredo [33], Lyons and Zelazo [79]), showing that students reflecting on their performance feel motivated afterwards. Aside from self-regulation and self-reflection theory, social learning theory (SLT) has also been explored in the context of augmented piano prototypes. SLT emphasises four distinct steps in learning: attention, retention, reproduction, and motivation [2]. In *attention* phase, a piano student observes how a certain piece should be played by carefully watching a teacher perform. During the *retention* phase, the student tries to remember what they have observed. The *reproduction* step covers performing the activities by the student, which further supports retention [130]. This learning process becomes sustainable in the med- to long-term by learner's *motivation*, where reinforcement (either positive or negative) can also ensure continuous practice.

In the P.I.A.N.O prototype [113, 144], authors employed SLT through the design of their learning modes. The *listen (attention)* mode allows students to listen to a song and observe its visualisation. The *practice (retention)* mode provides students with feedback by highlighting the correct and the wrongly-pressed keys. Lastly, the *play (reproduction and motivation)* mode provides additional feedback on students' performance while playing. Besides the correctly or incorrectly pressed keys,

details on expected notes (missed keys), irregular duration, and a summary of their performance through a progress bar were also displayed.

Several digitally augmented prototypes introduced extra modules in their software, such as practice mode [22, 52, 113, 131, 144], which gave learners additional content to practice on, or a lesson builder [27], which allowed learners to customise their lessons.

5.4 Enabling Improvisation

For experienced and advanced piano players, being able to improvise is proof of a wide musical vocabulary. Also, according to our experts, those who are talented with “perfect pitch” are easily able to perform improvisation. The practice involves the application of current music knowledge skills and applying them in an impromptu (or any scenario without prior practice) to a performance which produces a musically-sound piece [4]. This makes improvisation a task under the cognitive domain. Improvisation at all levels of music education “creates an environment where children can express their creativity” [11]. Teaching improvisation to novice and intermediate students can improve their rhythmic accuracy and note reading skills, concentration, self-actualisation, imagination, and nonetheless increases their confidence level [23, 97]. Besides mastering proper body/hands/fingers posture, reading music sheet notation and motivation, confidence is also an essential aspect of playing an instrument for novice students as well as more experienced and even expert piano players [1, 31]. This is true especially as it has been shown that piano students can experience anxiety and being overwhelmed during their performances [1]. Teaching improvisation to novice and intermediate students has also been observed to help improve their rhythmic accuracy and note-reading skills [97]. This could be one reason why roughly 27% (14 out of 51) of augmented piano prototypes reviewed have considered improvisation. While this theme has appeared several times in our review, experts argue there is much room for development since the skill of improvisation is challenging to assess from the perspective of a piano teacher.

Augmented piano prototypes have enabled improvisations in various forms and approaches. The most common approach is to incorporate gesture detection allowing musicians to use their hands freely during performances, thereby improving their musical vocabulary [85, 88, 116, 119]. Some prototypes enabled users to move freely and perform natural gestures, which allowed them to express themselves further [50, 63, 102]. These studies also investigated several constructs such as levels of expressiveness and improvisation. Their findings show that their finger-based control of additional features does not interfere with the playing flow of a performer. Researchers proposed that improvisations improved user experience, especially in live performances, as observed inherently in the prototypes of [27, 101, 117, 152]. Furthermore, in some instances, improvisations were enabled to improve the sound quality [26, 156, 157], which in turn has effects on listeners besides performers.

6 TRENDS IN PIANO AUGMENTATION USER STUDIES

In this section, we analyse user studies in surveyed papers. This will help us to understand how the reviewed prototypes were studied and where the focus should shift in the future.

The results in Table 3 show that the experiments in papers published before 2014 were designed with measuring general usability as a goal. The authors considered notation accuracy, general satisfaction, finger information, level of immersiveness, and in-game scoring as constructs measured (labelled as *No*, *Sa*, *Fl*, *Im*, *Sc* respectively in Table 3). These studies focused on whether the related prototypes *technically* work and can emulate the piano in the closest way possible. They measured these constructs by either (1) letting the users play a specific piano chord or a (2) full piece, (3) generally practising or (4) exploring the augmented piano prototype or (5) completing a quest (if the prototype came with game-related features) (labelled as *pc*, *pl*, *pr*, *ex*, *qu* respectively in

this augmentation? Does this feature motivate or encourage users [to improvise]? Does augmentation overwhelm the user?). Despite having a broader user base in the later studies, there is a lack of longitudinal studies to understand the long-term effects of augmented prototypes better. In addition, the prototypes presented do not take into account the specific learner-based themes identified by interviewing expert teachers. In the next section, we provide recommendations for future development, implementations and research of the augmented piano prototypes.

7 RECOMMENDATIONS FOR FUTURE EXPLORATIONS

The difficulties when learning the piano have pushed for several digitally augmented innovations within the last two decades. While we understand that learning the piano is a physical, cognitive, psycho-cognitive and affective task, we have reported that some of these augmentations may lack the essential learner-based focus that emerged during the interviews with piano experts (teachers). Moreover, hardware or software augmentations have shown how technology can also introduce newer problems brought about by affordances [30]. At the same time, we posit that most of these augmentations bring about short-term improvements to the student. As such, we present recommendations that provide improvements to the student in the long term. We base these recommendations on the core elements of gamification and game-based learning, social learning theory (SLT), experiential learning theory (ExL), and many others. We map these recommendations with our music experts' insights and verify them on classical music pedagogy.

Balance Between Traditional Techniques and New Approaches. Music experts claim that playing the piano is a centuries-old technique and is best experienced when learned traditionally. Piano roll visualisations and other gamified elements have been a popular choice to help teach a more “*natural*” flow of movement of hands and posture when playing the piano. However, most visualisation approaches implemented missed or neglected the elements in a traditional music sheet (such as time signature, octave, which finger to use and many others). For example, based on our expert interviews, users get to learn how to press the right keys at the right time but do not necessarily acquire the skill to learn to read notes to play musical pieces independently. Thus, piano roll visualisations should visualise the abstraction of music notes that work in both ways (help the user learn sight reading and recognise heard audio with its equivalent notation, thus achieving balance on both traditional and newer techniques). Users should be able to match the moving rolls and their equivalent musical sheet counterparts (both in notation and in sound). While some prototypes implemented this, there is a lack of user studies on what is the best way to achieve this while not overwhelming users with extra information shown. Future user studies should explore various visualisations and combinations of, e.g., piano roll and music notation. It should also guide the user to learn from both aural (sound and tune) feedback to visual (notes) form and back. This also satisfies the needed skill to hear and recognise music rudiments and be able to translate them back into sounds (thus being able to do it the other way around). As most systems have fed students with visualisations on which keys to press, when and for how long, it is also crucial that these systems would recognise and know how these sheet notations might sound (or might form a general harmonic melody in a greater sense). This would equip learners with longer-lasting skills that are not only being able to know how to play the piano but also being able to integrate the theory with practice. However, this should also be empirically tested in longitudinal studies. In this approach, we present students with both traditional approaches (sight reading, feedback, practising, music theory) and newer approaches (augmented visualisations, practice and reflection modes) to learning the piano.

Ensuring Motivation and a Consistent Practice Regimen. Motivation plays an essential role in helping piano students. There have been several studies that have explored motivation and various

constructs to measure it: (i) motivating students to be competitive [140], (ii) using gamification [112], (iii) via self regulation [38] and others [105]. Allowing students to reflect on their learning and their progress, giving them a clearer view of the mistakes they may have committed in their recent performance, can help motivate dedicated learners. While these contributions have presented study designs that measured engagement, immersiveness, motivation and cognitive load as constructs, these have yet to be fully explored in the context of music learning (such as in the piano). As these factors contribute to assessing motivation and how it affects learning, there is a need to conduct more studies involving a broader array of metrics or constructs that may lead to a consistent and sustained learning experience. This can be facilitated by borrowing established methods from other domains such as cognitive load, physiological signals (e.g., GSR, ECG), eye-tracking, and many others to make measuring engagement and motivation more accurate as possible. While these have been incorporated in short-term studies [159], it would be interesting to see whether there are greater benefits when observed in the long term. In addition, several prototypes mentioned had gamification elements embedded to keep users engaged. However, the long-term effects are not known as learning a piano is a years-long task. It should also be explored what game elements are suitable for a particular age since every age requires a different approach [10].

Measuring Expressiveness and Improvisation. Being able to apply a creative approach in one's performance is a measure of how confident a person is when playing the piano [126]. Unfortunately, most augmented piano prototypes have contributed to mechanical and intra-personal piano playing so far. Thus, we found that expressiveness and improvisation in piano learning are underrepresented [27, 39, 151] but are equally important as well. As mentioned earlier, improvising on the piano demonstrates a higher level of skill that involves mastery of music theory and natural movement in the piano. Piano experts believe that expressiveness and improvisation are difficult-to-measure skills in the piano [74, 127], which is why it is usually skipped even though they are prescribed in the standardised music curriculum. Developing important key features that promote and encourage learners to improvise is desired despite being a relatively-new domain if we will look at it from the perspective of piano augmentation. We recommend that exploring user studies and technology augmentations that aid in measuring and enabling expressiveness following the initial work by Karolus et al. [63] could open more opportunities for personalised and pleasant improvisations during learning. While improvisation is also effective in other related domains such as music therapy [146], it would be interesting to explore whether these techniques can also help the general learner be more confident in their performance or help them have a broader musical vocabulary.

Learner Personalisation. User modelling has been a long-existing technique in the broader domain of technology-aided learning. However, work on personalised student experiences in the context of piano learning is a less-explored research area. There have been some studies on understanding the pace of the user and their preferences [46], personalised error interventions based on user input [73] and how learners studied (for better or worse) with personalised visualisations and others [115]. Yet, much of these studies have been explored in the context of either using a general graphic user interface and have not been explored specifically for music learning (like in the piano). Their results show potential for personalised learner experiences enhanced by user modelling and are worth exploring specifically for this context. On the other hand, there are also several studies that attempted to understand user proficiency [64, 65] in a specific context and the internal mechanisms [61, 75, 108] that go with it - but outside the domain of learning. Their results show that they can model user movement and predict user errors which later on they could use to design interventions to mitigate these errors. While their works have been used on general pointing tasks or in game-based environments, we argue that the elegant structure and form of music make it

an interesting domain that goes well with personalised learning. Furthermore, as user modelling has been explored with various input modalities, these personalised experiences can supplement teacher-based piano sessions. Therefore, we suggest looking into movement patterns, music features, and even expert heuristics, among many others, when building general or user-specific models of piano students. Studies involving these variables have been proposed prior [31, 32] but have yet to be explored further and deeper.

Exploring Other Types of Interventions. As several types of students and a broad spectrum of music-based pedagogies exist, we recommend future directions in digital technology augmentation based on the appropriate interventions that fit students' corresponding learning types [34]. Apart from gamified approaches to piano learning, we noticed that most existing augmented piano prototypes have not used other forms of interventions such as (but not limited to): (i) predicting user errors in key-pressing (e.g., Buschek et al. [13], Mecke et al. [92]), (ii) managing the cognitive load of students (e.g., Kosch et al. [71]), (iii) simplifying or streamlining the number of piano rolls (e.g., Kosch et al. [72]), and (iv) supporting collaborative or grouped learning (e.g., Wozniak et al. [148]). Different types of intervention can also be introduced at varying levels of interaction (from macro to micro e.g. improving synchronisation based on the ideal finger or hand-angle and positioning [13, 92], analysing where the learners are looking/gazing to understand better cognitive load [71, 72], and understanding spatial elements around the user to explore better context involve the task [148]). This way, augmented piano prototypes can understand the context and introduce interventions to the user at the specific pain point that needs improvement or adjusting.

8 CONCLUSION

In this paper, we did a systematic review of digitally augmented piano prototypes based on the four learner-based themes that were conceptualised during the interviews with piano teachers: (1) synchronising movement and posture between various body parts, (2) improving sight-reading skills, (3) motivating students, and (4) enabling improvisation. Based on the data we collected from the papers, we saw how smaller (local) experiments succeeded with their objectives (e.g., several prototypes helped users become better in terms of movement and synchronisation, and other prototypes noticed a change in behaviour or motivation for students). We found that synchronisation and motivation studies worked, while authentic sight-reading and improvisation studies require further exploration. Combining these findings with the themes we derived, we call for more studies that involve larger samples done over a longer duration to properly-assess learning success. For such large-scale and long-term studies, we laid out a set of recommendations to guide researchers in designing their prototypes and experiments.

9 ACKNOWLEDGEMENTS

The authors wish to thank the several experts who willingly offered their free time to share their experiences and opinions during our interviews. The authors also would like to thank Sarah Rüller for helping them generate the high-resolution affinity diagram that is part of this paper's supplementary material.

REFERENCES

- [1] Robert Allen. 2013. Free improvisation and performance anxiety among piano students. *Psychology of Music* 41, 1 (2013), 75–88. <https://doi.org/10.1177/0305735611415750>
- [2] Albert Bandura and Richard H Walters. 1977. *Social learning theory*. Vol. 1. Prentice-hall Englewood Cliffs, NJ, New Jersey.
- [3] István Barakonyi and Dieter Schmalstieg. 2005. Augmented Reality Agents in the Development Pipeline of Computer Entertainment. In *International Conference on Entertainment Computing*, Fumio Kishino, Yoshifumi Kitamura, Hirokazu

Kato, and Noriko Nagata (Eds.). Springer Berlin Heidelberg, Berlin, Heidelberg, 345–356. https://doi.org/10.1007/11558651_34

- [4] Roger E Beaty, Bridget A Smeekens, Paul J Silvia, Donald A Hodges, and Michael J Kane. 2013. A first look at the role of domain-general cognitive and creative abilities in jazz improvisation. *Psychomusicology: Music, Mind, and Brain* 23, 4 (2013), 262.
- [5] Amare Birhanu. 2017. *Interactive AR Experiences as Training Applications: Guidelines and Requirements for Piano Pedagogy in Mixed Reality*. Ph.D. Dissertation. Drexel University.
- [6] Amare Birhanu and Stefan Rank. 2017. KeynVision: Exploring Piano Pedagogy in Mixed Reality. In *Extended Abstracts Publication of the Annual Symposium on Computer-Human Interaction in Play* (Amsterdam, The Netherlands) (*CHI PLAY '17 Extended Abstracts*). Association for Computing Machinery, New York, NY, USA, 299–304. <https://doi.org/10.1145/3130859.3131336>
- [7] Jonas Blattgerste, Patrick Renner, and Thies Pfeiffer. 2019. Augmented Reality Action Assistance and Learning for Cognitively Impaired People: A Systematic Literature Review. In *Proceedings of the 12th ACM International Conference on Pervasive Technologies Related to Assistive Environments* (Rhodes, Greece) (*PETRA '19*). Association for Computing Machinery, New York, NY, USA, 270–279. <https://doi.org/10.1145/3316782.3316789>
- [8] Ivo Blohm and Jan Marco Leimeister. 2013. Gamification. *Business & information systems engineering* 5, 4 (2013), 275–278.
- [9] Virginia Braun and Victoria Clarke. 2012. *Thematic analysis*. American Psychological Association, Washington, DC. <https://doi.org/10.1037/13620-004>
- [10] Ellen Brox, Stathis Th Konstantinidis, Gunn Evertsen, et al. 2017. User-centered design of serious games for older adults following 3 years of experience with exergames for seniors: a study design. *JMIR serious games* 5, 1 (2017), e6254.
- [11] Pamela Burnard. 2000. How Children Ascribe Meaning to Improvisation and Composition: Rethinking pedagogy in music education. *Music Education Research* 2, 1 (2000), 7–23. <https://doi.org/10.1080/14613800050004404>
- [12] A.M. Burns. 2020. *Using Technology with Elementary Music Approaches*. Oxford University Press, Incorporated, New York, NY, USA. <https://books.google.si/books?id=pyT3DwAAQBAJ>
- [13] Daniel Buschek, Alexander De Luca, and Florian Alt. 2015. Improving Accuracy, Applicability and Usability of Keystroke Biometrics on Mobile Touchscreen Devices. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems* (Seoul, Republic of Korea) (*CHI '15*). Association for Computing Machinery, New York, NY, USA, 1393–1402. <https://doi.org/10.1145/2702123.2702252>
- [14] Minya Cai, Muhammad Alfian Amrizal, Toru Abe, and Takuo Suganuma. 2019. Design and Implementation of AR-Supported System for Piano Learning. In *IEEE 8th Global Conference on Consumer Electronics (GCCE '19)*. IEEE, New York, NY, USA, 49–50. <https://doi.org/10.1109/GCCE46687.2019.9015530>
- [15] Minya Cai, Muhammad Alfian Amrizal, Toru Abe, and Takuo Suganuma. 2019. Design of an AR-Based System for Group Piano Learning. In *IEEE International Symposium on Mixed and Augmented Reality Adjunct (ISMAR-Adjunct '19)*. IEEE, New York, NY, USA, 20–21. <https://doi.org/10.1109/ISMAR-Adjunct.2019.00020>
- [16] Madeleine Carabo-Cone. 1969. *A Sensory-Motor Approach to Music Learning. Book I-Primary Concepts*. ERIC, New York, NY, USA.
- [17] Erin A. Carroll and Celine Latulipe. 2009. The Creativity Support Index. In *CHI '09 Extended Abstracts on Human Factors in Computing Systems* (Boston, MA, USA) (*CHI EA '09*). Association for Computing Machinery, New York, NY, USA, 4009–4014. <https://doi.org/10.1145/1520340.1520609>
- [18] Anita Lee-Ling Chang. 1994. *The Russian School of advanced piano technique: Its history and development from the 19th to 20th century*. Ph.D. Dissertation. The University of Texas at Austin.
- [19] Pei-Ying Chiang and Chung-Hsuan Sun. 2015. Oncall Piano Sensei: Portable AR Piano Training System. In *Proceedings of the 3rd ACM Symposium on Spatial User Interaction* (Los Angeles, California, USA) (*SUI '15*). Association for Computing Machinery, New York, NY, USA, 134. <https://doi.org/10.1145/2788940.2794353>
- [20] Lois Choksy. 1974. *The Kodály method: Comprehensive music education from infant to adult*. Prentice-Hall Englewood Cliffs, NJ, New Jersey.
- [21] Varin Chouvatut and Wattana Jindaluang. 2013. Virtual piano with real-time interaction using automatic marker detection. In *2013 International Computer Science and Engineering Conference (ICSEC '13)*. IEEE, New York, NY, USA, 222–226. <https://doi.org/10.1109/ICSEC.2013.6694783>
- [22] Jonathan Chow, Haoyang Feng, Robert Amor, and Burkhard C. Wünsche. 2013. Music Education Using Augmented Reality with a Head Mounted Display. In *Proceedings of the Fourteenth Australasian User Interface Conference - Volume 139* (Melbourne, Australia) (*AUIC '13*). Australian Computer Society, Inc., AUS, 73–79.
- [23] Yawen E. Chyu. 2004. *Teaching improvisation to piano students of elementary to intermediate levels*. Ph.D. Dissertation. Ohio State University.

- [24] Harold A Conklin Jr. 1987. Piano design factors—their influence on tone and acoustical performance. *The Journal of the Acoustical Society of America* 81, S1 (1987), S60–S60.
- [25] Ana Grasielle Dionísio Correa, Irene Karaguilla Ficheman, Marilena do Nascimento, and Roseli de Deus Lopes. 2009. Computer Assisted Music Therapy: A Case Study of an Augmented Reality Musical System for Children with Cerebral Palsy Rehabilitation. In *Proceedings of the 2009 Ninth IEEE International Conference on Advanced Learning Technologies (ICALT '09)*. IEEE Computer Society, USA, 218–220. <https://doi.org/10.1109/ICALT.2009.111>
- [26] Palle Dahlstedt. 2015. Mapping Strategies and Sound Engine Design for an Augmented Hybrid Piano. In *Proceedings of the International Conference on New Interfaces for Musical Expression* (Baton Rouge, Louisiana, USA) (NIME 2015). The School of Music and the Center for Computation and Technology (CCT), Louisiana State University, Baton Rouge, Louisiana, USA, 271–276.
- [27] Shantanu Das, Seth Glickman, Fu Yen Hsiao, and Byunghwan Lee. 2017. Music Everywhere—Augmented Reality Piano Improvisation Learning System. In *Proceedings of the International Conference on New Interfaces for Musical Expression* (Aalborg University Copenhagen, Copenhagen, Denmark) (NIME '17). PubPub, Cambridge, MA, USA, 511–512.
- [28] Fred D Davis. 1993. User acceptance of information technology: system characteristics, user perceptions and behavioral impacts. *International journal of man-machine studies* 38, 3 (1993), 475–487.
- [29] Yuri De Pra, Federico Fontana, and Linmi Tao. 2014. Infrared vs. Ultrasonic Finger Detection on a Virtual Piano Keyboard. In *Proceedings of the 2014 International Computer Music Conference (ICMC '14)*. Michigan Publishing, Ann Arbor, MI, USA, 654–658.
- [30] Chris Dede. 1996. The evolution of distance education: Emerging technologies and distributed learning. *American Journal of Distance Education* 10, 2 (1996), 4–36. <https://doi.org/10.1080/08923649609526919>
- [31] Jordan Aiko Deja. 2021. Adaptive Visualisations Using Spatiotemporal and Heuristic Models to Support Piano Learning. In *Proceedings of the 29th ACM Conference on User Modeling, Adaptation and Personalization* (Utrecht, Netherlands) (UMAP '21). Association for Computing Machinery, New York, NY, USA, 286–290. <https://doi.org/10.1145/3450613.3459656>
- [32] Jordan Aiko Deja. 2021. Encouraging Improvisation in Piano Learning Using Adaptive Visualisations and Spatiotemporal Models. In *Adjunct Publication of the 23rd International Conference on Mobile Human-Computer Interaction*. ACM Digital Library, Toulouse, France, 1–4.
- [33] Jordan Aiko Deja and Rafael Cabredo. 2016. Discovering Policies using Activity Models of Self Regulated Learners. In *Proceedings of the 16th Philippine Computing Science Congress*. Computing Society of the Philippines, Diliman, Quezon City, 10.
- [34] Jordan Aiko Deja, Sven Mayer, Klen Čopič Pucihar, and Matjaž Kljun. 2022. The Vision of a Human-Centered Piano. <https://doi.org/10.48550/ARXIV.2204.06945>
- [35] Miguel Delgado, Waldo Fajardo, and Miguel Molina-Solana. 2011. A state of the art on computational music performance. *Expert Systems with Applications* 38, 1 (2011), 155–160. <https://doi.org/10.1016/j.eswa.2010.06.033>
- [36] Judith K. Delzell and David A. Leppla. 1992. Gender Association of Musical Instruments and Preferences of Fourth-Grade Students for Selected Instruments. *Journal of Research in Music Education* 40, 2 (1992), 93–103. <https://doi.org/10.2307/3345559>
- [37] Sebastian Deterding, Dan Dixon, Rilla Khaled, and Lennart Nacke. 2011. From Game Design Elements to Gamefulness: Defining "Gamification". In *Proceedings of the 15th International Academic MindTrek Conference: Envisioning Future Media Environments* (Tampere, Finland) (MindTrek '11). Association for Computing Machinery, New York, NY, USA, 9–15. <https://doi.org/10.1145/2181037.2181040>
- [38] Angelique Dimitracopoulou. 2007. Computer based interaction analysis supporting self-regulation: Achievements and prospects of an emerging research field. In *Proceedings of the IADIS International Congress on Cognition and Exploratory Learning in Digital Age, Algavre, Portugal*. LTEE, Greece, 93.
- [39] Chris Donahue, Ian Simon, and Sander Dieleman. 2019. Piano Genie. In *Proceedings of the 24th International Conference on Intelligent User Interfaces* (Marina del Ray, California) (IUI '19). Association for Computing Machinery, New York, NY, USA, 160–164. <https://doi.org/10.1145/3301275.3302288>
- [40] Lucy Dunne, P. Walsh, B. Smyth, and B. Caulfield. 2007. A System for Wearable Monitoring of Seated Posture in Computer Users. In *4th International Workshop on Wearable and Implantable Body Sensor Networks (BSN '07)*. Springer Berlin Heidelberg, Berlin, Heidelberg, 203–207.
- [41] C.P. Edwards, L. Gandini, and G.E. Forman. 1998. *The Hundred Languages of Children: The Reggio Emilia Approach—advanced Reflections*. Ablex Publishing Corporation, New York.
- [42] Ruth B Ekstrom, Diran Dermen, and Harry Horace Harman. 1976. *Manual for kit of factor-referenced cognitive tests*. Vol. 102. Educational testing service, Princeton, NJ, USA.
- [43] Carlos A Torres Fernandez, Pujana Paliyawan, Chu Chun Yin, and Ruck Thawonmas. 2016. Piano learning application with feedback provided by an ar virtual character. In *5th Global Conference on Consumer Electronics*. IEEE, New York,

NY, USA, 1–2. <https://doi.org/10.1109/GCCE.2016.7800380>

- [44] Lynda Gerry, Sofia Dahl, and Stefania Serafin. 2019. ADEPT: exploring the design, pedagogy, and analysis of a mixed reality application for piano training. In *Proceedings of 16th Sound & Music Computing Conference*. Zenodo, Málaga, Spain, 2891–2892. <https://doi.org/10.5281/zenodo.3249333>
- [45] Werner Goebel and Caroline Palmer. 2009. Synchronization of timing and motion among performing musicians. *Music Perception* 26, 5 (2009), 427–438.
- [46] Alix Goguey, Carl Gutwin, Zhe Chen, Pang Suwanaposee, and Andy Cockburn. 2021. Interaction Pace and User Preferences. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 195, 14 pages. <https://doi.org/10.1145/3411764.3445772>
- [47] Adam Goodwin and Richard Green. 2013. Key detection for a virtual piano teacher. In *28th International Conference on Image and Vision Computing New Zealand (IVCNZ '13)*. IEEE, New York, NY, USA, 282–287. <https://doi.org/10.1109/IVCNZ.2013.6727030>
- [48] E. Gordon. 2003. *A Music Learning Theory for Newborn and Young Children*. GIA, Chicago.
- [49] Edwin E Gordon. 2011. *Roots of music learning theory and audiation*. Ph.D. Dissertation. University of South Carolina, Chicago.
- [50] Niccolò Granieri and James Dooley. 201. Reach, a keyboard-based gesture recognition system for live piano sound modulation. In *Proceedings of the International Conference on New Interfaces for Musical Expression* (Porto Alegre, Brazil) (NIME '19). NIME Proceedings, Brazil, 2.
- [51] Greg Guest, Kathleen M MacQueen, and Emily E Namey. 2011. *Applied thematic analysis*. sage publications, Thousand Oaks.
- [52] Ruoxi Guo, Jiahao Cui, Wanru Zhao, Shuai Li, and Aimin Hao. 2021. Hand-by-Hand Mentor: An AR based Training System for Piano Performance. In *2021 IEEE Conference on Virtual Reality and 3D User Interfaces Abstracts and Workshops (VRW)*. IEEE, New York, NY, USA, 436–437.
- [53] Dominik Hackl and Christoph Anthes. 2017. HoloKeys-An Augmented Reality Application for Learning the Piano. In *Forum Media Technology*. <http://ceur-ws.org/>, Austria, 140–144. <http://ceur-ws.org/Vol-2009/fmt-proceedings-2017-paper19.pdf>.
- [54] Aristotelis Hadjakos. 2012. Pianist motion capture with the Kinect depth camera. In *Proceedings of the Sound and Music Computing Conference*. Citeseer, Darmstadt, 303–310.
- [55] Juho Hamari, David J Shernoff, Elizabeth Rowe, Brianno Coller, Jodi Asbell-Clarke, and Teon Edwards. 2016. Challenging games help students learn: An empirical study on engagement, flow and immersion in game-based learning. *Computers in human behavior* 54 (2016), 170–179.
- [56] Wendell Hanna. 2007. The New Bloom's Taxonomy: Implications for Music Education. *Arts Education Policy Review* 108, 4 (2007), 7–16. <https://doi.org/10.3200/AEPR.108.4.7-16>
- [57] Lowell E. Hart, Sandra G. and Staveland. 1988. Development of NASA-TLX (Task Load Index): Results of Empirical and Theoretical Research. *Advances in Psychology* 52 (1988), 139–183. [https://doi.org/10.1016/S0166-4115\(08\)62386-9](https://doi.org/10.1016/S0166-4115(08)62386-9)
- [58] Marc Hassenzahl, Michael Burmester, and Franz Koller. 2003. *AttrakDiff: Ein Fragebogen zur Messung wahrgenommener hedonischer und pragmatischer Qualität*. Vieweg+Teubner Verlag, Wiesbaden, 187–196. https://doi.org/10.1007/978-3-322-80058-9_19
- [59] Zebulon Highben and Caroline Palmer. 2004. Effects of Auditory and Motor Mental Practice in Memorized Piano Performance. *Bulletin of the Council for Research in Music Education* 159 (2004), 58–65. <http://www.jstor.org/stable/40319208>
- [60] Feng Huang, Yu Zhou, Yao Yu, Ziqiang Wang, and Sidan Du. 2011. Piano AR: A Markerless Augmented Reality Based Piano Teaching System. In *Proceedings of the 2011 Third International Conference on Intelligent Human-Machine Systems and Cybernetics - Volume 02 (IHMSC '11)*. IEEE Computer Society, USA, 47–52. <https://doi.org/10.1109/IHMSC.2011.82>
- [61] Jin Huang and Byungjoo Lee. 2019. Modeling Error Rates in Spatiotemporal Moving Target Selection. In *Extended Abstracts of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland Uk) (CHI EA '19). Association for Computing Machinery, New York, NY, USA, 1–6. <https://doi.org/10.1145/3290607.3313077>
- [62] Veronika Huta and Richard M Ryan. 2010. Pursuing pleasure or virtue: The differential and overlapping well-being benefits of hedonic and eudaimonic motives. *Journal of happiness studies* 11, 6 (2010), 735–762. <https://doi.org/10.1007/s10902-009-9171-4>
- [63] Jakob Karolus, Annika Kilian, Thomas Kosch, Albrecht Schmidt, and Pawel W. Wozniak. 2020. Hit the Thumb Jack! Using Electromyography to Augment the Piano Keyboard. In *Proceedings of the 2020 ACM Designing Interactive Systems Conference*. Association for Computing Machinery, New York, NY, USA, 429–440. <https://doi.org/10.1145/3357236.3395500>
- [64] Jakob Karolus and Albrecht Schmidt. 2018. Proficiency-Aware Systems: Adapting to the User's Skills and Expertise. In *Proceedings of the 7th ACM International Symposium on Pervasive Displays* (Munich, Germany) (PerDis '18). Association

- for Computing Machinery, New York, NY, USA, Article 33, 2 pages. <https://doi.org/10.1145/3205873.3210708>
- [65] Jakob Karolus and Paweł W. Woźniak. 2021. Proficiency-aware systems: Designing for user reflection in context-aware systems. *it-Information Technology* 63, 3 (2021), 167–175.
- [66] Julie Derges Kastner. 2014. Exploring Informal Music Learning in a Professional Development Community of Music Teachers. *Bulletin of the Council for Research in Music Education* 202 (2014), 71–89. <https://doi.org/10.5406/bulcoursmusedu.202.0071>
- [67] Annika Kilian, Jakob Karolus, Thomas Kosch, Albrecht Schmidt, and Paweł W. Woniak. 2021. EMPiano: Electromyographic Pitch Control on the Piano Keyboard. In *Extended Abstracts of the 2021 CHI Conference on Human Factors in Computing Systems*. Association for Computing Machinery, New York, NY, USA, Article 196, 4 pages. <https://doi.org/10.1145/3411763.3451556>
- [68] M Klepsch and T Seufert. 2012. Subjective differentiated measurement of cognitive load. In *Proc. 5th Intl. Cognitive Load Theory Conf. IEE, USA*.
- [69] Matjaž Kljun, John Mariani, and Alan Dix. 2015. Transference of PIM research prototype concepts to the mainstream: successes or failures. *Interacting with Computers* 27, 2 (2015), 73–98. <https://doi.org/10.1093/iwc/iwt059>
- [70] David A Kolb. 2014. *Experiential learning: Experience as the source of learning and development*. FT press, New Jersey.
- [71] Thomas Kosch, Markus Funk, Albrecht Schmidt, and Lewis L. Chuang. 2018. Identifying Cognitive Assistance with Mobile Electroencephalography: A Case Study with In-Situ Projections for Manual Assembly. *Proc. ACM Hum.-Comput. Interact.* 2, EICS, Article 11 (jun 2018), 20 pages. <https://doi.org/10.1145/3229093>
- [72] Thomas Kosch, Mariam Hassib, Daniel Buschek, and Albrecht Schmidt. 2018. Look into My Eyes: Using Pupil Dilation to Estimate Mental Workload for Task Complexity Adaptation. In *Extended Abstracts of the 2018 CHI Conference on Human Factors in Computing Systems* (Montreal QC, Canada) (*CHI EA '18*). Association for Computing Machinery, New York, NY, USA, 1–6. <https://doi.org/10.1145/3170427.3188643>
- [73] Kevin C. Lam, Carl Gutwin, Madison Klarkowski, and Andy Cockburn. 2021. The Effects of System Interpretation Errors on Learning New Input Mechanisms. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (*CHI '21*). Association for Computing Machinery, New York, NY, USA, Article 713, 13 pages. <https://doi.org/10.1145/3411764.3445366>
- [74] Julien Laroche and Ilan Kaddouch. 2014. Enacting teaching and learning in the interaction process: “Keys” for developing skills in piano lessons through four-hand improvisations. *Journal of Pedagogy* 5, 1 (2014), 24–47. <https://doi.org/10.2478/jped-2014-0002>
- [75] Byungjoo Lee and Antti Oulasvirta. 2016. Modelling Error Rates in Temporal Pointing. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems* (San Jose, California, USA) (*CHI '16*). Association for Computing Machinery, New York, NY, USA, 1857–1868. <https://doi.org/10.1145/2858036.2858143>
- [76] James R. Lewis and Jeff Sauro. 2009. The Factor Structure of the System Usability Scale. In *Human Centered Design, Masaaki Kurosu* (Ed.). Springer Berlin Heidelberg, Berlin, Heidelberg, 94–103. https://doi.org/10.1007/978-3-642-02806-9_12
- [77] Beici Liang, György Fazekas, Andrew McPherson, and Mark Sandler. 2017. Piano pedaller: a measurement system for classification and visualisation of piano pedalling techniques. In *Proceedings of NIME New Interfaces for Musical Expression 2017*. NIME, Denmark, 325–359.
- [78] Hui Liang, Jin Wang, Qian Sun, Yong-Jin Liu, Junsong Yuan, Jun Luo, and Ying He. 2016. Barehanded Music: Real-Time Hand Interaction for Virtual Piano. In *Proceedings of the 20th ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games* (Redmond, Washington) (*I3D '16*). Association for Computing Machinery, New York, NY, USA, 87–94. <https://doi.org/10.1145/2856400.2856411>
- [79] Kristen E. Lyons and Philip David Zelazo. 2011. Chapter 10 - Monitoring, metacognition, and executive function: Elucidating the role of self-reflection in the development of self-regulation. *Advances in Child Development and Behavior* 40 (2011), 379–412. <https://doi.org/10.1016/B978-0-12-386491-8.00010-4>
- [80] Thor Magnusson and Enrike Hurtado Mendieta. 2007. The Acoustic, the Digital and the Body: A Survey on Musical Instruments. In *Proceedings of the 7th International Conference on New Interfaces for Musical Expression* (New York, New York) (*NIME '07*). Association for Computing Machinery, New York, NY, USA, 94–99. <https://doi.org/10.1145/1279740.1279757>
- [81] Stephen A Maisto, Kate B Carey, and Clara M Bradizza. 1999. *Social learning theory*. The Guilford Press, Washington.
- [82] Corinne Mattmann and Gerhard Troster. 2006. Design Concept of Clothing Recognizing Back Postures. In *2006 3rd IEEE/EMBS International Summer School on Medical Devices and Biosensors*. IEEE, New York, NY, USA, 24–27. <https://doi.org/10.1109/ISSMDS.2006.360088>
- [83] Marie McCarthy and J Scott Goble. 2002. Music education philosophy: Changing times. *Music Educators Journal* 89, 1 (2002), 19–26. <https://doi.org/10.2307/3399880>
- [84] Andrew McPherson. 2015. Buttons, Handles, and Keys: Advances in Continuous-Control Keyboard Instruments. *Comput. Music J.* 39, 2 (June 2015), 28–46. https://doi.org/10.1162/COMJ_a_00297

- [85] Andrew McPherson and Youngmoo Kim. 2010. Toward a Computationally-Enhanced Acoustic Grand Piano. In *CHI '10 Extended Abstracts on Human Factors in Computing Systems* (Atlanta, Georgia, USA) (CHI EA '10). Association for Computing Machinery, New York, NY, USA, 4141–4146. <https://doi.org/10.1145/1753846.1754116>
- [86] Andrew P McPherson. 2013. Portable Measurement and Mapping of Continuous Piano Gesture. In *International Conference on New Interfaces for Musical Expression (NIME '13)*. PubPub, Cambridge, MA, USA, 152–157.
- [87] Andrew P. McPherson, Adrian Gierakowski, and Adam M. Stark. 2013. The Space between the Notes: Adding Expressive Pitch Control to the Piano Keyboard. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Paris, France) (CHI '13). Association for Computing Machinery, New York, NY, USA, 2195–2204. <https://doi.org/10.1145/2470654.2481302>
- [88] Andrew P McPherson and Youngmoo E Kim. 2010. Augmenting the Acoustic Piano with Electromagnetic String Actuation and Continuous Key Position Sensing.. In *International Conference on New Interfaces for Musical Expression (NIME '10)*. PubPub, Cambridge, MA, USA, 217–222.
- [89] Andrew P. McPherson and Youngmoo E. Kim. 2011. Multidimensional Gesture Sensing at the Piano Keyboard. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Vancouver, BC, Canada) (CHI '11). Association for Computing Machinery, New York, NY, USA, 2789–2798. <https://doi.org/10.1145/1978942.1979355>
- [90] Andrew P. McPherson and Youngmoo E. Kim. 2012. The problem of the second performer: Building a community around an augmented piano. *Computer Music Journal* 36, 4 (2012), 10–27. https://doi.org/10.1162/COMJ_a_00149
- [91] V.H. Mead. 1994. *Dalcroze Eurhythmics in Today's Music Classroom*. Schott, New York.
- [92] Lukas Mecke, Daniel Buschek, Mathias Kiermeier, Sarah Prange, and Florian Alt. 2019. Exploring Intentional Behaviour Modifications for Password Typing on Mobile Touchscreen Devices. In *Proceedings of the Fifteenth USENIX Conference on Usable Privacy and Security* (Santa Clara, CA, USA) (SOUPS'19). USENIX Association, USA, 303–318.
- [93] Joel Michael and Harold I Modell. 2003. *Active learning in secondary and college science classrooms: A working model for helping the learner to learn*. Routledge, New York. <https://doi.org/10.4324/9781410609212>
- [94] David Moher, Alessandro Liberati, Jennifer Tetzlaff, Douglas G. Altman, Doug Altman, Gerd Antes, David Atkins, Virginia Barbour, Nick Barrowman, Jesse A. Berlin, Jocalyn Clark, Mike Clarke, Deborah Cook, Roberto D'Amico, Jonathan J. Deeks, P. J. Devereaux, Kay Dickersin, Matthias Egger, Edzard Ernst, Peter C. Gøtzsche, Jeremy Grimshaw, Gordon Guyatt, Julian Higgins, John P.A. Ioannidis, Jos Kleijnen, Tom Lang, Nicola Magrini, David McNamee, Lorenzo Moja, Cynthia Mulrow, Maryann Napoli, Andy Oxman, Ba' Pham, Drummond Rennie, Margaret Sampson, Kenneth F. Schulz, Paul G. Shekelle, David Tovey, and Peter Tugwell. 2009. Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement (Chinese edition). *Journal of integrative medicine* 7, 9 (Sept. 2009), 889–896. <https://doi.org/10.3736/jcim20090918>
- [95] D Molero, Santiago Schez-Sobrinio, David Vallejo, Carlos Glez-Morcillo, and Javier Albusac. 2021. A novel approach to learning music and piano based on mixed reality and gamification. *Multimedia Tools and Applications* 80, 1 (2021), 165–186. <https://doi.org/10.1007/s11042-020-09678-9>
- [96] Will Molloy, Edward Huang, and Burkhard C Wünsche. 2019. Mixed Reality Piano Tutor: A Gamified Piano Practice Environment. In *2019 International Conference on Electronics, Information, and Communication (ICEIC '19)*. IEEE, New York, NY, USA, 1–7. <https://doi.org/10.23919/ELINFOCOM.2019.8706474>
- [97] David Ricardo Montano. 1983. *The effect of improvisation in given rhythms on rhythmic accuracy in sight reading achievement by college elementary group piano students*. Ph.D. Dissertation. University of Missouri.
- [98] Giulio Moro and Andrew P McPherson. 2020. Performer experience on a continuous keyboard instrument. *Computer Music Journal* 44, 2-3 (2020), 69–91.
- [99] Lan Mu, Ke Li, and Chunhong Wu. 2010. A sitting posture surveillance system based on image processing technology. In *2010 2nd International Conference on Computer Engineering and Technology*, Vol. 1. IEEE, New York, NY, USA, V1–692. <https://doi.org/10.1109/ICCET.2010.5485381>
- [100] Dan Newton and Mark T Marshall. 2011. Examining How Musicians Create Augmented Musical Instruments.. In *International Conference on New Interfaces for Musical Expression (NIME '11)*. Proceedings of NIME 2011, Oslo, Norway, 155–160.
- [101] S Nicolls and N Gillian. 2012. A gesturally controlled improvisation system for piano. In *Proceedings of Live Interfaces: Performance Art Music*. Open Conference Systems, Leeds, UK, 1–7.
- [102] Masa Ogata and Masataka Goto. 2017. Keyboard Interface with Shape-Distortion Expression for Interactive Performance. In *Proceedings of the 2017 International Computer Music Conference (ICMC '17)*. Michigan Publishing, Ann Arbor, MI, USA, 378–383. <http://hdl.handle.net/2027/spo.bbp2372.2017.064>
- [103] Akiya Oka and Manab Hashimoto. 2013. Marker-less piano fingering recognition using sequential depth images. In *The 19th Korea-Japan Joint Workshop on Frontiers of Computer Vision (FCV '13)*. IEEE, New York, NY, USA, 1–4. <https://doi.org/10.1109/FCV.2013.6485449>
- [104] Susan A. O'Neill and Michael J. Boultona. 1996. Boys' and Girls' Preferences for Musical Instruments: A Function of Gender? *Psychology of Music* 24, 2 (1996), 171–183. <https://doi.org/10.1177/0305735696242009>

- [105] Fidelia A Orji and Julita Vassileva. 2021. Modelling and Quantifying Learner Motivation for Adaptive Systems: Current Insight and Future Perspectives. In *International Conference on Human-Computer Interaction*. Springer, Cham, 79–92.
- [106] Dan Overholt. 2005. The overtone violin: A new computer music instrument. In *Proceedings of the 2017 International Computer Music Conference (ICMC '05)*. Michigan Publishing, Ann Arbor, MI, USA, 1–4.
- [107] Honghu Pan, Xingxi He, Hong Zeng, Jia Zhou, and Sai Tang. 2018. Pilot Study of Piano Learning with AR Smart Glasses Considering Both Single and Paired Play. In *International Conference on Human Aspects of IT for the Aged Population*. Springer International Publishing, Cham, 561–570. https://doi.org/10.1007/978-3-319-92037-5_39
- [108] Eunji Park and Byungjoo Lee. 2020. An Intermittent Click Planning Model. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems*. Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3313831.3376725>
- [109] Lois Peak. 1998. *The Suzuki method of music instruction*. Cambridge University Press, California USA. 345–368 pages.
- [110] Linsey Raymaekers, Jo Vermeulen, Kris Luyten, and Karin Coninx. 2014. Game of Tones: Learning to Play Songs on a Piano Using Projected Instructions and Games. In *CHI '14 Extended Abstracts on Human Factors in Computing Systems (Toronto, Ontario, Canada) (CHI EA '14)*. Association for Computing Machinery, New York, NY, USA, 411–414. <https://doi.org/10.1145/2559206.2574799>
- [111] Karen Robson, Kirk Plangger, Jan H Kietzmann, Ian McCarthy, and Leyland Pitt. 2015. Is it all a game? Understanding the principles of gamification. *Business horizons* 58, 4 (2015), 411–420.
- [112] Luiz Rodrigues, Paula T Palomino, Armando M Toda, Ana CT Klock, Wilk Oliveira, Anderson P Avila-Santos, Isabela Gasparini, and Seiji Isotani. 2021. Personalization improves gamification: evidence from a mixed-methods study. *Proceedings of the ACM on Human-Computer Interaction* 5, CHI PLAY (2021), 1–25.
- [113] Katja Rogers, Amrei Röhlig, Matthias Weing, Jan Gugenheimer, Bastian Könings, Melina Klepsch, Florian Schaub, Enrico Rukzio, Tina Seufert, and Michael Weber. 2014. P.I.A.N.O.: Faster Piano Learning with Interactive Projection. In *Proceedings of the Ninth ACM International Conference on Interactive Tabletops and Surfaces (Dresden, Germany) (ITS '14)*. Association for Computing Machinery, New York, NY, USA, 149–158. <https://doi.org/10.1145/2669485.2669514>
- [114] Deirdre Russell-Bowie. 2013. Mission Impossible or Possible Mission? Changing Confidence and Attitudes of Primary Preservice Music Education Students Using Kolb's Experiential Learning Theory. *Australian Journal of Music Education* 2 (2013), 46–63.
- [115] Md. Sami Uddin and Carl Gutwin. 2021. The Image of the Interface: How People Use Landmarks to Develop Spatial Memory of Commands in Graphical Interfaces. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems (Yokohama, Japan) (CHI '21)*. Association for Computing Machinery, New York, NY, USA, Article 515, 17 pages. <https://doi.org/10.1145/3411764.3445050>
- [116] Frode Eika Sandnes and Evelyn Eika. 2019. Enhanced Learning of Jazz Chords with a Projector Based Piano Keyboard Augmentation. In *International Conference on Innovative Technologies and Learning*. Springer, Cham, 194–203.
- [117] Giovanni Santini. 2020. Augmented Piano in Augmented Reality. In *International Conference on New Interfaces for Musical Expression (NIME '20)*. PubPub, Cambridge, MA, USA, 411–415.
- [118] Marc Ericson C Santos, Angie Chen, Takafumi Taketomi, Goshiro Yamamoto, Jun Miyazaki, and Hirokazu Kato. 2014. Augmented Reality Learning Experiences: Survey of Prototype Design and Evaluation. *IEEE Transactions on Learning Technologies* 7, 1 (2014), 38–56. <https://doi.org/10.1109/TLT.2013.37>
- [119] Dieter Schmalstieg and Daniel Wagner. 2007. Experiences with Handheld Augmented Reality. In *6th IEEE and ACM International Symposium on Mixed and Augmented Reality (ISMAR '07)*. IEEE, New York, NY, USA, 3–18. <https://doi.org/10.1109/ISMAR.2007.4538819>
- [120] Stefan Schneegeass, Thomas Olsson, Sven Mayer, and Kristof Van Laerhoven. 2016. Mobile interactions augmented by wearable computing: A design space and vision. *International Journal of Mobile Human Computer Interaction (IJMHCI)* 8, 4 (2016), 104–114. <https://doi.org/10.4018/IJMHCI.2016100106>
- [121] Sheila Scott. 2011. Contemplating a constructivist stance for active learning within music education. *Arts Education Policy Review* 112, 4 (2011), 191–198. <https://doi.org/10.1080/10632913.2011.592469>
- [122] Mary Shamrock. 1997. Orff-Schulwerk: An Integrated Foundation: This article on the methodologies and practices of Orff-Schulwerk was first published in the Music Educators Journal in February 1986. *Music Educators Journal* 83, 6 (1997), 41–44.
- [123] Fabrice Silva, Jean Kergomard, Christophe Vergez, and Joël Gilbert. 2008. Interaction of reed and acoustic resonator in clarinetlike systems. *The Journal of the Acoustical Society of America* 124, 5 (2008), 3284–3295.
- [124] Elizabeth J Simpson. 1966. *The classification of educational objectives, psychomotor domain*. Technical Report. Illinois Univ, Urbana, New York, NY, USA.
- [125] Michael J. A. Sloboda, John A. and Howe. 1992. Transitions in the Early Musical Careers of Able Young Musicians: Choosing Instruments and Teachers. *Journal of Research in Music Education* 40, 4 (1992), 283–294. <https://doi.org/10.2307/3345836>

- [126] Gregory Eugene Smith. 1983. *Homer, Gregory, and Bill Evans? The theory of formulaic composition in the context of jazz piano improvisation*. Harvard University, Cambridge, MA, USA.
- [127] Gabriel Solis and Bruno Nettel. 2009. *Musical improvisation: Art, education, and society*. University of Illinois Press, Illinois, USA.
- [128] Maximilian Speicher, Brian D. Hall, and Michael Nebeling. 2019. *What is Mixed Reality?* Association for Computing Machinery, New York, NY, USA, 1–15. <https://doi.org/10.1145/3290605.3300767>
- [129] Austin Jerald Stanbury, Ines Said, and Hyo Jeong Kang. 2021. HoloKeys: Interactive Piano Education Using Augmented Reality and IoT. In *Proceedings of the 27th ACM Symposium on Virtual Reality Software and Technology (Osaka, Japan) (VRST '21)*. Association for Computing Machinery, New York, NY, USA, Article 76, 3 pages. <https://doi.org/10.1145/3489849.3489921>
- [130] Stephen B Stryker and Betty L Leaver. 1997. Content-based instruction: From theory to practice. *Content-based instruction in foreign language education: Models and methods* 8, 1 (1997), 3–28.
- [131] Chung-Hsuan Sun and Pei-Ying Chiang. 2018. Mr. Piano: A Portable Piano Tutoring System. In *2018 IEEE XXV International Conference on Electronics, Electrical Engineering and Computing (INTERCON '18)*. IEEE, New York, NY, USA, 1–4. <https://doi.org/10.1109/INTERCON.2018.8526423>
- [132] Yoshinari Takegawa, Tsutomu Terada, and Masahiko Tsukamoto. 2012. A piano learning support system considering rhythm. In *Non-Cochlear Sound: Proceedings of the 38th International Computer Music Conference (ICMC '12)*. Michigan Publishing, Ann Arbor, MI, USA, 325–332. <http://hdl.handle.net/2027/spo.bbp2372.2012.061>
- [133] Hong Z Tan, Lynne A Slivovsky, and Alex Pentland. 2001. A sensing chair using pressure distribution sensors. *IEEE/ASME Transactions On Mechatronics* 6, 3 (2001), 261–268.
- [134] Katie Salen Tekinbas and Eric Zimmerman. 2003. *Rules of play: Game design fundamentals*. MIT press, Massachusetts, USA.
- [135] Ronald B Thomas. 1970. *Manhattanville Music Curriculum Program. Final Report*. Technical Report. Manhattanville Coll., Purchase, NY., New York, NY, USA. 459 pages.
- [136] Armando M Toda, Ana CT Klock, Wilk Oliveira, Paula T Palomino, Luiz Rodrigues, Lei Shi, Ig Bittencourt, Isabela Gasparini, Seiji Isotani, and Alexandra I Cristea. 2019. Analysing gamification elements in educational environments using an existing Gamification taxonomy. *Smart Learning Environments* 6, 1 (2019), 1–14.
- [137] Armando M Toda, Paula T Palomino, Wilk Oliveira, Luiz Rodrigues, Ana CT Klock, Isabela Gasparini, Alexandra I Cristea, and Seiji Isotani. 2019. How to gamify learning systems? an experience report using the design sprint method and a taxonomy for gamification elements in education. *Journal of Educational Technology & Society* 22, 3 (2019), 47–60.
- [138] Fernando Trujano, Mina Khan, and Pattie Maes. 2018. ARPiano Efficient Music Learning Using Augmented Reality. In *Innovative Technologies and Learning*, Ting-Ting Wu, Yueh-Min Huang, Rustam Shadiev, Lin Lin, and Andreja Istenič Starčič (Eds.). Springer International Publishing, Cham, 3–17. https://doi.org/10.1007/978-3-319-99737-7_1
- [139] Luca Turchet. 2018. Some Reflections on the Relation between Augmented and Smart Musical Instruments. In *Proceedings of the Audio Mostly 2018 on Sound in Immersion and Emotion*. Association for Computing Machinery, New York, NY, USA. <https://doi.org/10.1145/3243274.3243281>
- [140] Julita Vassileva. 2012. Motivating participation in social computing applications: a user modeling perspective. *User Modeling and User-Adapted Interaction* 22, 1 (2012), 177–201.
- [141] Christian Walder. 2016. Modelling Symbolic Music: Beyond the Piano Roll. In *Proceedings of The 8th Asian Conference on Machine Learning (Proceedings of Machine Learning Research, Vol. 63)*, Robert J. Durrant and Kee-Eung Kim (Eds.). PMLR, The University of Waikato, Hamilton, New Zealand, 174–189. <http://proceedings.mlr.press/v63/walder88.html>
- [142] Janice Waldron. 2009. Exploring a virtual music community of practice: Informal music learning on the Internet. *Journal of Music, Technology & Education* 2, 2-3 (2009), 97–112. https://doi.org/10.1386/jmte.2.2-3.97_1
- [143] Peter R Webster. 2011. Construction of music learning. *MENC handbook of research on music learning* 1 (2011), 35–83. <https://doi.org/10.1093/acprof:osobl/9780195386677.003.0002>
- [144] Matthias Weing, Amrei Röhlrig, Katja Rogers, Jan Gugenheimer, Florian Schaub, Bastian Könings, Enrico Rukzio, and Michael Weber. 2013. P.I.A.N.O.: Enhancing Instrument Learning via Interactive Projected Augmentation. In *Proceedings of the 2013 ACM Conference on Pervasive and Ubiquitous Computing Adjunct Publication (Zurich, Switzerland) (UbiComp '13 Adjunct)*. Association for Computing Machinery, New York, NY, USA, 75–78. <https://doi.org/10.1145/2494091.2494113>
- [145] Heidi Westerlund. 2003. Reconsidering Aesthetic Experience in Praxial Music Education. *Philosophy of music education review* 11, 1 (2003), 45–62. <https://www.jstor.org/stable/40327197>
- [146] Tony Wigram. 2004. *Improvisation: Methods and techniques for music therapy clinicians, educators, and students*. Jessica Kingsley Publishers, United Kingdom.
- [147] Michael Williams and Tami Moser. 2019. The art of coding and thematic exploration in qualitative research. *International Management Review* 15, 1 (2019), 45–55.

- [148] Paweł Wozniak, Nitesh Goyal, Przemysław Kucharski, Lars Lischke, Sven Mayer, and Morten Fjeld. 2016. RAMPARTS: Supporting Sensemaking with Spatially-Aware Mobile Interactions. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems* (San Jose, California, USA) (CHI '16). Association for Computing Machinery, New York, NY, USA, 2447–2460. <https://doi.org/10.1145/2858036.2858491>
- [149] William J Wrigley and Stephen B Emmerson. 2013. Ecological development and validation of a music performance rating scale for five instrument families. *Psychology of Music* 41, 1 (2013), 97–118. <https://doi.org/10.1177/0305735611418552>
- [150] Brenda Wršten. 2005. Cognition and motor execution in piano sight-reading: A review of literature. *Update: Applications of Research in Music Education* 24, 1 (2005), 44–56.
- [151] Guangyu Xia and Roger B Dannenberg. 2017. Improvised duet interaction: learning improvisation techniques for automatic accompaniment. In *International Conference on New Interfaces for Musical Expression (NIME '17)*. NIME, Copenhagen, Denmark, 110–114.
- [152] Xiao Xiao, Paula Aguilera, Jonathan Williams, and Hiroshi Ishii. 2013. MirrorFugue iii: Conjuring the Recorded Pianist. In *CHI '13 Extended Abstracts on Human Factors in Computing Systems* (Paris, France) (CHI EA '13). Association for Computing Machinery, New York, NY, USA, 2891–2892. <https://doi.org/10.1145/2468356.2479564>
- [153] Xiao Xiao and Hiroshi Ishii. 2010. MirrorFugue: Communicating Hand Gesture in Remote Piano Collaboration. In *Proceedings of the Fifth International Conference on Tangible, Embedded, and Embodied Interaction* (Funchal, Portugal) (TEI '11). Association for Computing Machinery, New York, NY, USA, 13–20. <https://doi.org/10.1145/1935701.1935705>
- [154] Xiao Xiao and Hiroshi Ishii. 2011. Duet for Solo Piano: MirrorFugue for Single User Playing with Recorded Performances. In *CHI '11 Extended Abstracts on Human Factors in Computing Systems* (Vancouver, BC, Canada) (CHI EA '11). Association for Computing Machinery, New York, NY, USA, 1285–1290. <https://doi.org/10.1145/1979742.1979762>
- [155] Xiao Xiao, Basheer Tome, and Hiroshi Ishii. 2014. Andante: Walking Figures on the Piano Keyboard to Visualize Musical Motion. In *International Conference on New Interfaces for Musical Expression (NIME '14)*. Zenodo, Málaga, Spain, 629–632. <https://doi.org/10.5281/zenodo.1178987>
- [156] Qi Yang and Georg Essl. 2012. Augmented Piano Performance using a Depth Camera. In *International Conference on New Interfaces for Musical Expression (NIME '12)*. NIME, Michigan USA, 1–2.
- [157] Qi Yang and Georg Essl. 2013. Visual Associations in Augmented Keyboard Performance. In *International Conference on New Interfaces for Musical Expression (NIME '13)*. NIME, Daejeon, Korea, 252–255.
- [158] Ya-Ting Carolyn Yang. 2012. Building virtual cities, inspiring intelligent citizens: Digital games for developing students' problem solving and learning motivation. *Computers & Education* 59, 2 (2012), 365–377. <https://doi.org/10.1016/j.compedu.2012.01.012>
- [159] Beste F. Yuksel, Kurt B. Oleson, Lane Harrison, Evan M. Peck, Daniel Afergan, Remco Chang, and Robert JK Jacob. 2016. Learn Piano with BACH: An Adaptive Learning Interface That Adjusts Task Difficulty Based on Brain State. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems* (San Jose, California, USA) (CHI '16). Association for Computing Machinery, New York, NY, USA, 5372–5384. <https://doi.org/10.1145/2858036.2858388>
- [160] Van Zandt-Escobar, Baptiste Caramiaux, and Ataru Tanaka. 2014. Piaf: A tool for augmented piano performance using gesture variation following. In *Proceedings of the International Conference on New Interfaces for Musical Expression (NIME '14)*. PubPub, Cambridge, MA, USA, 167–170.
- [161] Ihab Zaqout, Samar Elhissi, Aya Jarour, and Heba Elowini. 2015. Augmented Piano Reality. *International Journal of Hybrid Information Technology* 8, 10 (2015), 141–152. <https://doi.org/10.14257/ijhit.2015.8.10.13>
- [162] Hong Zeng, Xingxi He, and Honghu Pan. 2019. FunPianoAR: a novel AR application for piano learning considering paired play based on multi-marker tracking. In *Journal of Physics: Conference Series*, Vol. 1229. IOP Publishing, Bristol, United Kingdom, 012072. <https://doi.org/10.1088/1742-6596/1229/1/012072>
- [163] D Zhang, Yan Shen, Soh-Khim Ong, and Andrew YC Nee. 2010. An Affordable Augmented Reality Based Rehabilitation System for Hand Motions. In *2010 International Conference on Cyberworlds (CW '10)*. IEEE, New York, NY, USA, 346–353. <https://doi.org/10.1109/CW.2010.31>
- [164] Barry J Zimmerman and Adam R Moylan. 2009. Self-regulation: Where metacognition and motivation intersect. In *Handbook of metacognition in education*. Routledge, UK, 311–328.
- [165] Luka Zorč, Klen Čopič Pucihar, and Matjaž Kljun. 2019. Prepričljive tehnologije za spodbujanje pravilne drže telesa pri sedenju – Persuasive technologies for promoting correct sitting posture. In *IS 2019 - Information society multi conference - Human-Computer Interaction in Information Society*. Jožef Stefan Institute, Slovenia, 21–24.

A AFFINITY DIAGRAM

Received February 2022; revised April 2022; accepted June 2022



Fig. 5. Affinity diagram containing insights that were coded and sorted. These were extracted from the transcripts of interviews from the experts. Each row represents insights from E1 down to E10.